Prediction III

Synastry
The Ascendant - Lunar
The Prenatal Epoch
Fixed Stars

Alexander Marr

TABLE OF CONTENTS

INTRODUCTION v
1. SYNASTRY 1
2. RADIX COMPARISONS 5
3. THE NEW PARTNER-HOROSCOPE 9
4. THE WRITER'S PARTNERSHIP AND COLLABORATION WITH THREE EMINENT ASTROLOGERS 13
5. NEGATIVE PARTNER-HOROSCOPES WITH NEGATIVE TENDENCIES 17
6. THE PARTNER-HOROSCOPE OF JIMMY CARTER AND RONALD REAGAN 26
7. THE AUXILIARY PARTNER-HOROSCOPE 29
8. THE RELATIONSHIP CHART 30
9. THE ASCENDANT-LUNAR HOROSCOPE 31
10. A NEW RELIABLE METHOD TO TRACE THE CONCEPTION-HOROSCOPE.. 41
11. THE DUAL-TEST 51
12. THE DUAL-TEST RECTIFICATION 52
13. SUPPLEMENT 65
13a. RELATIONSHIP OF THE MOON AND ASCENDANT IN THE RADIX AND THE CONCEPTION MAPS 68
14 AN INTRODUCTION INTO THE WORKINGS OF FIXED STARS 69
15. MUNDANE CONJUNCTIONS OF FIXED STARS IN RADICES OF INDIVIDUALS 71
16. THE EFFECTIVENESS OF FIXED STARS DEMONSTRATED ON 20 RECTIFIED RADICES 72
17. EFFECTIVE FIXED STARS DEMONSTRATED ON RADICES OF V.I.P.'s 73
18. FIXED STARS IN MUNDANE ASTROLOGY 84
19. PLANETS AND HOUSES DIRECTED TO RADICAL FIXED STARS 88
20. HOW EXACT MUST WE BE ? 89
21. FICTIONS IN ASTROLOGY 92
22. CONCLUDING REMARKS 94
23. APPENDICES 97
24. EDWARD KENNEDY - EVENTS AND PRIMARY DIRECTIONS 99
25. JUAN G. PERON - EVENTS AND PRIMARY DIRECTIONS 101
26. COMPUTATION OF FIXED STARS 103
TABLE A : 50 MAIN FIXED STARS IN LONGITUDE 109
TABLE B : PROMINENT FIXED STARS IN RA AND DECLINATION..... 113
TABLE C : RAMC, RISING AND SETTING OF FIXED STARS..... 115
TABLE D : TABLE FOR PRECESSION 118
TABLE E : DAY-NUMBERS FOR PRENATAL FACTORS 119
GLOSSARY 134
INDEX 135
THE WRITER'S MAIN PUBLICATIONS 137

1ra,edicion argentina - Ediciones SIRIO - Buenos Aires

LIBRO DE EDICION ARGENTINA

© Copyright 1986 **ISBN** 950-9183-05-9

No part of this book may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying or recording, or by any information storage and retrieval system, without written permission from the author and publisher.
Requests and inquiries may be mailed to the publisher:

Ediciones SIRIO
Pedro I, Rivera 3916 4º E
1430 - BUENOS AIRES
ARGENTINA

Printed in Argentine - Impreso en Argentina

INTRODUCTION

While **Prediction I** and **II** described new developments and the practical use of the basic findings made by ***Cyril Fagan***, ***A.P. Nelson Page*** and ***Vendel Polich***, **Prediction III** is based solely on my own research in the Transit and Prenatal Transit System which was discussed in *Prediction I*.

A great help in this respect had been the large number of rectified Radices, sixteen of which had been used for the most efficient Primary Directional method (the Topocentric System) and the workings of fixed stars demonstrated in this book. Some of my aims in astrology are, and have always been, to develop astrological techniques which secure both

a) a scientifically correct birth time, and

b) a comprehensive way to practise prediction.

The main problem for most astrologers is still the authentication of the true birth time, not only as to the trustworthiness of a time of birth, but also by means of astrological systems that allow certainty against chance to be controlled with a high probability factor of success.

It has been found in practice that in cases where several birth times are in question for the same nativity, radical delineations of these different horoscopes are not adequate to select the true birth time.
(See John Lennon, *Prediction II*)

Whilst the most appropriate rectification method so far, giving scientifically acceptable results within one minute of arc, has been demonstrated with Primary Directions (*Prediction II*), there are a number of other astrological systems which permit the verification of a birth time in a most simple way. (Secondary Progressions and Regressions derived from Sidereal Solar Returns in *Prediction I*; the Ascendant-Lunar Chart demonstrated in this book).

Besides this, the two last-mentioned rectification methods, if used alone, secure a well-authenticated, approximate birth time with enough accuracy to guarantee a satisfactory handling of analyses and predictions in all the recommended methods of *Prediction I*.

All these astrological systems are closing the ring for the mutual confirmation of a scientifically correct birth time. The aim of every astrologer should be a perfectly authenticated birth time for his own nativity as demonstrated in the Radices of Edward Kennedy and Juan Peron, and a well- authenticated Conception-Horoscope (Prenatal Epoch).

Synastry

It has always been a very difficult task to find an answer to the main questions in Synastry: What the relationship between two or more people will be like, whether their psychological and emotional characteristics fit together, and if their relationship will be durable or not.

The most primitive form of chart comparisons is the judgement of Sun-Sign compatibility. Users of this method maintain that, for instance, a man with Sun in Aries could not have a harmonious and long-lasting relationship with a woman who has the Sun in Cancer or Capricorn as the Sun of the man squares the woman's Sun.

Instead, this method mainly recommends partnership between Sun-Signs which are either in opposition or harmonious aspect to each other. Therefore a person with Sun in Aries is said to fit best with other persons who have the Sun in the following Signs : Gemini, Aquarius (sextile); Leo, Sagittarius (trine) and Libra (opposition).

This example could be applied in the same way for all the twelve Signs of the Zodiac. However, this way of classifying partnership not only turns out to be insignificant but is also refuted by the statistical analysis of about 250 cases which revealed that there are more long-lasting partnerships and friendships where the Suns of the two individuals are in square to each other than one would ever expect.

It is easy to understand that Sun-Sign comparisons have to be rejected for many other reasons, too .

Before going into details it is always essential to analyze the horoscopes of partners separately. There are people who are more or less predestinated for partnership while others are not. In extreme cases there are horoscopes that have no tendencies for a long-lasting relationship at all.

People of this kind have no friends, and they may also remain single for their whole life and not have much contact with the opposite sex.

Horoscopes with characteristic Capricorn-tendencies, especially with a Saturn affliction to Venus (for males) or to Mars (for females) have very little receptivity for the opposite sex, whether because of extreme shyness or because they are not capable of true love. Sometimes, also, the circumstances in their early life play an important role.

The best way for gaining experience in astrological techniques is the analysis of the astrologer's own Chart, as he should be well informed of the circumstances of the events analysed, and consequently will be able, with growing experience, to build up a good judgement of planetary symbolism. On the other hand with this he is also getting experience in how to interpret Radix Horoscopes, a branch of astrology which unfortunately is often handled with little care, although, there is no doubt, it needs years of experience before true results can be achieved.

In order to help young astrologers in choosing the right astrological tools without spending a lifetime with fictional astrological methods, and also to save the precious time of the more talented students who have a good proportional feeling - time which they have to spend before they find a successful way to learn and practise astrology - I have made a review of the most popular, more or less fictional astrological methods. In most cases these have little or no astronomical background, but a superfluous number of factors which cannot be controlled.
(See *'Fictions in Astrology'* below).

I wish to thank **Marguerite** and **Dymock Brose** (Blackheath, Australia) who made the publication of this book possible through their kind assistance.

Planets on the MC, usually the dominating Cusp in a horoscope, and therefore in a mundane square to the Ascendant, may increase impulses of ambition and sometimes the trend to extreme power if simultaneously squared by other planets.

ADOLF HITLER's Horoscope (*Prediction II*, No. 13) is a characteristic example of this. Saturn in the 10th House is here squared by Venus conjunct Mars. Hitler's relationship to other people and also to the opposite sex was decisively crippled by these aspects. So far, a few examples have been given to demonstrate that, prior to the analysis of partnership, the characteristics of the Radix have to be carefully considered.

In cases where the horoscope has a dominant Moon, men, especially, may be prevented from making or strengthening contacts with the opposite sex because of their psychological and emotional dependence on their mothers. With females, bad experiences, especially in sexual contacts (in extreme cases, rape), or disappointments concerning true love and affection are matters that considerably reduce the readiness for contacts. Needless to say, horoscopes of such complicated people need much care before an actual partnership analysis can start.

RADIX CHARACTERISTICS Pro and Contra Partnership with the opposite sex:

SUN and MOON in conjunctions, oppositions, trines and sextiles support the capability for partnership, if they are not seriously afflicted by (mainly) Saturn and Uranus in squares, or semisquares and sesquiquadrates. The affliction may always be regarded as powerful if the aspecting planet (Mars, Saturn, Neptune, Pluto) has a dominant position in the birth chart. This applies for all cases where favourable planetary combinations are afflicted by dominant malefics. Planets which are either in conjunction with or in square to an Angle, or high in the sky (in the 9th or 10th House), elevated over the other planets concerned, have to be regarded as dominant.

The best Sun/Moon combination for partnership in a birth chart is the opposition, preferably on Angles. Conjunctions are very helpful too, especially if on the Ascendant or the Descendant.

As we all know, the Ascendant plays the main role in the horoscope of an individual concerning his character, emotions and reactions. Therefore close aspects to the Ascendant, and consequently also to the Descendant, are of main importance when considering the readiness for partnership.
Aspects of tension to the Ascendant - Descendant axis of (mainly) Mars, Uranus and Pluto, produce instability in the character and emotions of the native in all those cases where no harmonious planets(Venus, Jupiter) dominate over the Ascendant.

On the other hand Mars Uranus and Pluto in conjunctions, oppositions or soft aspects (trine, sextile) to the Ascendant, particularly if supported by Venus and (or) Jupiter, merely give the native some characteristics of the planet involved. Needless to say, Venus and Jupiter on the Ascendant or Descendant (as well as Sun and Moon mentioned above), if not afflicted by dominating malefics increase the readiness for all kinds of relationship to other persons.

Experience shows that in most cases where partnership is concerned, it is not the position of both Suns, but any other mutual aspect of radical factors that is much more significant.

First, we will deal with the companionship of men and women.

The most significant aspect for analyzing relationships is the conjunction, as in all branches of astrology. The efficacy of conjunctions may be classified in the following order :


1. Conjunctions of planets with the Angles of the partner.
 Usually the orbs of effective conjunctions are extremely small.
 This of course can only be observed in horoscopes with well-authenticated birth times. As can be seen from examples given in Prediction II (British Monarchs) all these conjunctions and, of course, also any other mutual aspects have to be measured on the Ecliptic.
 Mundane aspects such as rising and setting are not valid, possibly because different coordinates of the birth places do not fit together.

2. Mutual conjunctions of Sun and Moon are the best preconditions for any partnership if the conjunction is not heavily afflicted or contradicted by other aspects.

3. Good prospects are further given by the following Ecliptical interchanges :
 (a) SUN - VENUS - JUPITER
 (b) MOON " "
 (c) MERCURY " "
 (d) MARS " "
 (e) PLUTO " "

While a, b and c are welcomed in any relationship, d and e play the dominating role in sexual relations.

JUAN D. PERON




RADIX RECTIFIED

October 8, 1895 12h 04m 22s U.T.

59 W 05.4 ; 35 S 11

EVITA PERON



RADIX RECTIFIED

May 7, 1919 08h 56m 51s U.T.

59 W 05 ; 35 S 11

While Uranus sextile Cusp 11 helped him in his political career (support in politics, propaganda and social welfare by his wife, Evita, and, of course, by friends and some superiors), Neptune afflicting Uranus (quincunx) may have caused his occasional set-backs, (Revolution in 1955 : he had to leave the country). Pluto square Node in VII is a general Significator for death. This becomes very obvious when ' death ' is analyzed with Prenatal Transits and Cycles. Besides this, Pluto plays a main role in cancer and in other diseases. Retrospectively, we may assume that this signifies the death of two of his wives by illness (both cancer) during his lifetime.

RADIX ANALYSIS. EVITA PERON. In relation to Partnership. (CHART B)

The Descendant has a trine from Venus; but Moon conjunct Saturn could not possibly have activated partnership. Venus on Cusp 3 (3rd House = domestic politics and propaganda) sextile Mercury, characterizes her active participation in social and political affairs. Venus sextile Moon = popularity (she brought Argentine women into public life).

Her early death is symbolized by the square of Sun conjunct Mars to Moon conjunct Saturn. Afflictions of this kind from Angular Houses, in an overhelming number of cases, affect health and reduce the bodily resistance against illnesses. Here energy and vitality (Sun conjunct Mars) struggle (square = tension) against lack of resistance (Moon conjunct Saturn) *

* Traditional belief that malefics in detriment (here Mars and Saturn) ' are disastrous throughout ' is not logical, as all individuals born during a considerably long period of time should suffer extremely from it. But the Moon which has a fast apparent movement is always an individual factor according to sign position and planetary aspects. It is very likely that the Moon in close conjunction with Saturn (1 degree = 2 hours) has considerably activated this weighty square of two malefics, both in detriment. Neither Jupiter nor the heavily afflicted Moon could have helped

Oppositions, although of lesser strength, have about the same character, at least where the demonstrated combinations of the compatible planets are involved. (1 , 2 , 3 (a) - (e))

Trines and sextiles of any mutual planetary aspects, whether compatible or incompatible, play a subordinate role in cases where partnership is concerned. These should be neglected unless they are very close (under one degree) and represent dominant radical positions of the factors involved.

In this connection the writer has to mention that textbooks which give hundreds of recipes for all possible mutual planetary interchanges in Radix comparison from conjunctions down to minor aspects are not reliable, because :

a) They are not the result of analyses. Hundreds of delineations need thousands of cases, and how can young authors have had such experience ?

b) Recipes would not work in practice, simply because similar planetary aspects such as, for instance, Sun partner A in square to Mars of partner B, may give different results in different relationships. Such an aspect of tension may produce positive characteristics in one partnership and negative ones in another. The delineation of Partner-Horoscopes gives true characteristics and permits a fairly good forecast only if the essential factors in partner comparison are used.

EXAMPLE : JUAN DOMINGO PERON, Former President of Argentina,
1946 - 55 and 1973 - 74 CHART A

EVITA PERON, his wife CHART B

RADIX ANALYSIS in relation to partnership Juan D. PERON

The Descendant is in Gemini, a dual sign; this means by tradition that there may be more than one marriage during the lifetime. (Peron was married three times).
Moon within 6' of arc on the Descendant, not afflicted and sextile to Jupiter, is a good precondition for a harmonious married life.
Venus on Cusp 11, sextile Uranus (orb 6') opposite Cusp 5 : generally a good sex life, but the possibility of deceiving or being deceived.
(Venus square Neptune from VII).

THE NEW PARTNER - HOROSCOPE *

This method has been tested by the writer with more than 200 examples. It may be regarded as an adequate complement to the traditional comparison of two Radix horoscopes as demonstrated above. As distinct from the usual Radix - Radix interpretation, where the mutual aspects have to be analyzed, the Partner-Horoscope not only allows an evaluation of mutual aspects but also has to be regarded as an independent self-contained Horoscope. Charts of this kind permit the astrologer to evaluate the output of the partnership.

The Partner-Horoscope is the product of both participants and it always has a lot to show as regards good or poor chances for the future. The analysis of this Horoscope must be performed in a most simple way, examining only the most characteristic indications such as :

a) The position of the Luminaries and planets in the Quadrants, whether above or below the Horizon, whether on the East- or West side of the Horoscope.

b) The Angularity of the Luminaries and planets.

c) The usual analysis of mutual aspects, where, of course, the individual aspects with MC, ASC, SUN and MOON should have priority. The idea of this Chart , which the writer is going to explain, had its origin in the consideration, that the horoscope of the younger partner has to be seen as a transit map with regard to the map of the elder one, i. e. the Partner - Horoscope is a prenatal transit chart which is based on the elder partner as a Radix with birth data of the younger as a transit.

To compute this horoscope we have only to apply the rules and computations demonstrated in ' Prediction using Common and Prenatal Cycles' , pages 2, 9, 10 with Prenatal Transits. Here the computation is identical with the computation of Prenatal Transits, according to the astronomical characteristics of a Partner - Horoscope.

* First published by the author in 1980

RADIX COMPARISON

J. D. PERON	EVITA PERON
a) ASC 6º Sag 48' ; MOON 6º GEM 54'	NODE 5º Sag 01'
b) JUPITER 5º Leo 37'	NODE 5º Sag 01'
c) PARS FORTUNA 28º Can 45'	PARS F. 29º Can 01'
d) MC 16º Leo 25'	SUN 15º Tau 45'.
	MARS 16º Tau 19'

e) The SUN - Sign, LIBRA is the Sign on the 7th Cusp of Evita's Radix

a) positive contact (Node) and affection (Moon)
b) positively strengthening (a)
d) This should have produced some tension
e) A common occurrence in marriage

PLUTO (18º Tau 04') in aspect to planets of both partners gives us some problems. In the 12th House, but not rising ; it is squared by VENUS. The symbolism points to a strong sexual relation. Besides this, traditional interpretation would certainly emphasize the strong relationship of both Venus and Pluto to the ASC and DESC as the Ruler of these. JUPITER opp. SATURN in a weak part of the horoscope (between II and III; VIII and IX) squared by the MOON (weak too as between XI and XII) may have had some negative consequences of which the writer does not know.

As explained before only close aspects, not exceeding two degrees in conjunctions and oppositions, and one degree for other major aspects, (square, trine and sextile) are valid. The latter may be neglected or evaluated only if appearing with small orbs.



		Day No *
Radix EVITA PERON (a) 1919, May 7	08h 56m 51s U.T.	43590
Radix JUAN PERON (b) 1895, Oct 8	12h 04m 22s U.T.	34979
(c) Difference, subtract from (b)	20h 52m 29s	8610
(d) 1872, March 11	15h 11m 53s	26368

DATE and TIME of the PARTNER - HOROSCOPE

Don't forget that we borrowed a day to subtract the time in (b) from the time in (a), and a day when subtracting the difference (c) from (b) to get the final figure (d) for our Partner-Horoscope.

INTERPRETATION OF THE PARTNER-HOROSCOPE CHART C

A) MUTUAL ASPECTS

Partner-Horoscope		Juan PERON		Evita Peron	
		NODE	11º Pis 00'	JUPITER	11º Can 55'
ASC	27º Tau 10'	PARS F.	28º Can 45'	MC	27ºCap 13'
URANUS	27º Can 20'	PARS F.	28º Can 45'	PARS F.	29ºCan 01'
PARS F.	24º Gem 12'			VENUS	23ºGem43'
VENUS	18º Aqu 57'	URANUS	18º Sco 08'		
MOON	18º Ari 25'	VENUS	18º Vir 02'		
PLUTO	18º Tau 04'	URANUS	18º Sco 08'		
MARS	7º Ari 23'	MOON	6º Gem54'	NEPTUNE	6ºLeo 38'
		DESC	6º Gem48'		
NEPTUNE	22ºAri 34'			ASC	24ºAri 21'

The mutual aspects of the Partner-Horoscope to both radices show a positive relationship mainly with conjunctions and oppositions.

DELINEATION OF THE PARTNER-HOROSCOPE

a) Most planets above the Horizon and in the two first Quadrants** = promising positive activity of both partners.

b) SUN(X) and VENUS(X) on either side of the MC picture healthy and active collaboration.

* See TABLE E in Appendix

**For mathematical and astronomical reasons I have changed the traditional order of the Quadrants in all my publications. (OA's in Quadrant I and II ; OD's in Quadrant III and IV)
First Q. = MC - XII. ; Second Q. = ASC - III ; Third Q. = IC - VI ; Fourth Q. = DESC - IX

THE WRITERS PARTNERSHIP AND COLLABORATION WITH THREE EMINENT ASTROLOGERS

Radix ALEXANDER MARR : April 12, 1919; 12h 11m 14s U.T. ;Zuerich


1. With VENDEL POLICH : April 26, 1892 ; 1h 48m 10s U.T.
Partner-Horoscope : May 11, 1865; 15h 25m 01s U.T.
Buenos Aires ; Chart D
MC 14ºTau39' ; VENUS 15ºTau 14' ; SUN 20ºTau 54' ; MERCURY 8ºTau 36'

2. With A.P. NELSON PAGE (see Prediction Using Common and Prenatal Cycles. Chart 2)
Partner-Horoscope : Jan. 10, 1919 ; 10h 45m 37s U.T. London; Chart E
MC 0º Cap ; JUPITER 9º Can 40' ; SUN 19º Cap 09' ; MERCURY 26ºSag 06'
MOON(Page) 2º Cap 47'
For Zuerich, the writers birth place (not reproduced)
MC 8º Cap 08 ; ASC 28º Ari 24'
JUPITER(Marr) 8º Can 19' ; MARS(Marr) 27º Ari 59'

3. With CYRIL FAGAN (Prediction Using..... Chart 3)
Partner Horoscope : July 3, 1873 ; 12h 44m 35s U.T. Dublin ; Chart F
SUN on MC in a strong position with MOON on ASC indicates a good relationship.


EXAMPLE of a close partnership for over 20 years of two astrologers working together on the same subject.

VENDEL POLICH / A.P. NELSON PAGE (Radices as above)
Partner-Horoscope : June 26, 1865 ;16h 07m 56s U.T. Buenos Aires;
Chart G
MC conjunct SUN ; Mercury and URANUS opposite JUPITER (a typical combination for a successful scientific collaboration)
MC(Polich) 21º Sag 44' ; JUPITER (Partner-H.) 22º Sag 42'
ASC(Page) 29º Gem24' ; MERCURY(Partner-H.) 28º Gem 41'
URANUS (Partner-H.) 29º Gem 58'



PARTNER HOROSCOPE JULIAN based EPHEMERIDEN
Hamburg 11, 1.8.1972 ; ; 1 Eh 11 m 53.3 s W.T.

--122--


PARTNER HOROSCOPE
V. POLICH / A. MARR
PARTNER HOROSCOPE
NELSON PAGE / A. MARR
PARTNER HOROSCOPE
F. FAGAN / A. MARR

1. The four partnerships of astrologers show that the Partner-Horoscope on its own (without the analysis of mutual aspects) already gives undeniable indications of the quality and characteristics of the relationship.

(a) The SUN in all four demonstrated charts is near the MIDHEAVEN. With (b) this indicates activity and success.
(b) QUALITY is shown by favourable planets on the Angles, preferably on the MC.
(c) The CHARACTERISTICS are disclosed by appropriate planets for 'scientific collaboration': SUN, MERCURY, JUPITER, URANUS.

2. The mutual aspects of the two Radices and Radix comparisons with the Partner-Horoscope are also mainly favourable planetary combinations.

3. To have a clear impression when analyzing and judging a relationship it is recommended that mainly conjunctions and oppositions (Angular and interplanetary aspects) are used.


4. The Partner-Horoscope should be computed for the place where both partners first met. Naturally the same applies for people who met only once, such as in road accidents, assassinations, etc. In cases where people never met, the birth place of the elder (first choice) and the younger partner have to be considered. Birth place coordinates also show some effect in cases where the partners have met in places other than their birth place.

5. Exactness of the kind demonstrated above is only guaranteed if rectified Radices are used.

NEGATIVE PARTNER - HOROSCOPES WITH NEGATIVE TENDENCIES

THE CHARLES MANSON GANG


On the night of August 9, 1969, STEVE PARENT was just leaving the gatekeeper's cottage on film director ROMAN POLANSKI's Hollywood estate, when SUSAN ATKINS shot him through the head. After the shooting Susan Atkins, along with LESLIE VAN HOUTEN and two other girls entered the main house of the estate and systematically tortured and murdered five members of the Hollywood ' jet set ' . Actress SHARON TATE, 8 months pregnant, pleaded for the life of her child as Susan Atkins plunged a kitchen knife into her stomach.



CHARLES MANSON was born on November 12, 1934 ; 21h 40m LT
84º W 30' ; 39º N 06' Chart H

It must be admitted that this Horoscope reflects his extraordinary charismatic personality and popularity among women. The latter were slavishly dependent upon him, and were fully obedient to his every command. The chart shows Manson's strong bodily (SUN-VENUS) and mental (MERCURY-JUPITER) influence on individuals. The destructive character of these abnormal relations is reflected by the square of URANUS to PLUTO. MOON in the 10th House elevated over all the other planets is in close conjunction with the MEAN NODE.
This is a very individualistic combination because of the quick movement of the MOON and the MC. Its importance is magnified by the Moon's Angularity and its mundane relation to URANUS and PLUTO . This indicates great popularity and one who may endure ' fatality with others ' . The mental disorder which obviously has overtaken him in spite of his ability to lead or mislead others should be attributed to the exact MARS - NEPTUNE conjunction in sesquiquadrate to URANUS. This combination is responsible for Manson's mental disposition toward development, particularly as URANUS is on the Ascendant.


Manson's indisputable popularity among women is expressed in the conjunction of SUN and VENUS, although aspects of this kind cannot be regarded as individualistic because they occur frequently and last for some days.



PARTNER - HOROSCOPE


V. POLICH / NELSON PAGE

SUSAN ATKINS




RADIX
May 7, 1948 ; 7h 30m U.T.
118 W 40 ; 34 N 05


L. VAN HOUTEN




RADIX
August 23, 1949 ; 13h 51m U.T.
118 W 15; 34 N 08



Radix Charles Manson
November 12, 1934 ; 21h 40m U.T.
84 W 30 ; 39 N 06



PARTNER HOROSCOPE
MANSON/ATKINS



PARTNER HOROSCOPE
MANSON / VAN HOUTEN

SUSAN ATKINS was born May 7, 1948 ; 7h 30m U.T. in San Gabriel (near Los Angeles) CHART I

The Radix shows an overhelming number of planets on the West side of the Horoscope and below the Horizon. Experience shows that a radical Sun on the IC is at its most inactive place. This is very unfortunate if, as in our example, the Sun is:

a) not supported by powerful and favourable aspects; and
b) in an almost exact square to Saturn.

Of importance also is the square of SUN and PLUTO because of the Angularity of both factors. Very remarkable is the semi-square of MARS to NEPTUNE, which because of its closeness (orb 6' of arc) refers to slaughter caused by fanaticism and/or insanity. The trial revealed that both Susan Atkins and Leslie van Houten (Chart J) had been under the devilish influence of Charles Manson who had all of his disciples under charismatic control.

LESLIE VAN HOUTEN was fully dependent upon Manson too, and her personality seems to have changed considerably through his influence.
She was born August 23, 1949; 13h 51m U.T. ; 118W15 ; 34N08 CHART J

The structure of this Horoscope with most planets on the East side shows much more initiative than the Chart of Susan Atkins. The most powerful combination is the midpoint of SUN/SATURN = ASC, which was a main link to a tragic destiny. In addition to a number of midpoints with the ASC and the MOON, she also has SUN/PLUTO = MOON ; MERCURY/MARS = MOON; MERCURY/PLUTO = ASC; URANUS/NEPTUNE = MOON. These are presumed to reflect the great mental and psychological instability of the person.

STEVEN PARENT, who was the first victim of the massacre, was born February 12, 1948; 22h U.T. ; Pasadena, California (Not reproduced)
The Chart does not give too many indications of his tragic death. SATURN is near the Midheaven squared by URANUS. On the other hand Angular MARS on the IC could have played a decisive role, especially if the exact birth time is 8 minutes before the official one. In this case the ASC-DESC axis would fall on the famous fixed star opposition of ALDEBARAN-ANTARES, which according to ancient and modern research may reflect unusual and tragic destinies. (see, Fixed Stars, Chapter 14).

A number of characteristically destructive midpoints such as :
MERCURY/SATURN = MARS ; MARS/SATURN = MOON;
MARS/NEPTUNE = SATURN ; SATURN/URANUS = PLUTO
should not be overlooked.

Analysis has revealed that we do not have to restrict ourselves to this more or less static interpretation of a Partner-Horoscope, for it is also possible to trace events with the aid of common and prenatal transits and cycles for these maps. To illustrate this, CHART M shows the prenatal transits for the August 1969 murders, as computed for Partner-Horoscope CHART K.

The computation is, of course, the very same as that for horoscopes of individuals, and, as explained above, is identical with the computation of Partner-Horoscopes. The time of the murders on August 9th, 1969, was: 6h am U.T. on August 10th.

EVENT	1969, August 10	6h 00m	Day 61948
PARTN. MANSON/ATK.	1921, May 20	11h 50m	Day 44334
DIFFERENCE		18h 10m	17613
PRENAT. TRANSIT	1873 Febr., 26	17h 40m	Day 26720

CHART M

The Grand Cross among the Angular planets SATURN (MC), PLUTO (ASC), URANUS (IC), MARS (DESC) needs little explanation, for it shows the potentially violent, explosive and fatal consequences which can occur when these planets are in mutual affliction.

VENUS reaches her position in the Radix (Partner-Horoscope K) within 2' of arc. The close conjunction of prenatal NEPTUNE to VENUS (orb 20') is therefore intensified many times.

MARS prenatal is in close conjunction with MOON radical (aggressiveness).

PARTNER-HOROSCOPE MANSON/ATKINS CHART K

May 20, 1921 ; 11h 50m U.T.

Looking at this Chart we again find a so-called passive, destructive horoscope, as most planets are below the Horizon. There is a conjunction of VENUS and the DRAGON's TAIL. This is supported by very close semisquares of URANUS and the MERCURY-MARS conjunction which is often found in horoscopes of evil companionship.

This Venus/Mars/Uranus combination shows a sexual relationship of a highly unusual character. Even JUPITER (although trine ASC) with his exact opposition to URANUS, and squared by MARS and MERCURY, represents an evil authority.


Also very characteristic is the square of an Angular MOON (on the DESC) to NEPTUNE, an aspect which in many horoscopes has been an indication of insanity. All the above mentioned planets are inter-connected with exceptionally close aspects. Besides this, the JUPITER-SATURN conjunction (authority, leadership) is conjunct the insane MARS-NEPTUNE conjunction in Manson's Radix (Chart H).

NEPTUNE and PLUTO play a decisive role in this Chart, for they form a midpoint with the MC axis (Neptune/Pluto = IC).

PARTNER-HOROSCOPE MANSON/VAN HOUTEN CHART L


February 2, 1920; 5h 29m U.T.

This Horoscope also has a destructive, sexual and sadistic character because there is an Angular opposition of PLUTO (MC) to VENUS (IC).




PRENATAL TRANSIT CHART


PARTNER HOROSKOP MANSON/ATKINS



PRENATAL
SIDEREAL LUNAR RETURN
FOR
PARTNER HOROSCOPE
MANSON / ATKINS



PRENATAL
DEMI-S.L.R.
FOR
PARTNER HOROSCOPE
MANSON / ATKINS



PRENATAL S.L.L.R.
FOR
PARTNER HOROSCOPE
MANSON / VAN HOUTEN

Very effective in the New Partner-Horoscope are also Sidereal Lunar Returns and their Demi's (if the latter's operational date is nearer to the date of the event).

Impressive Lunars of this kind coincide with events which partners experience together, such as : First meetings, marriages, accidents, law suits, etc. Lunar Returns as auxiliary charts, together with other factors of the Transit System, facilitate forecasting which of the two opponents is going to win the litigation. Further, the outcome of contests in all sorts of competitions such as sporting events and presidential elections may be predicted with these Lunars. For Jimmy Carter and Ronald Reagan see below.


CHART N is a Prenatal Sidereal Lunar Return for the Partner-Horoscope MANSON/ATKINS (Chart K) covering the slaughter of August 9, 1969. Here URANUS (MC), NEPTUNE (DESC) and SATURN (IC) close to an Angle characterize the violence (SATURN, URANUS ; MOON conjunct MARS in opposition to PLUTO) and stealthiness (NEPTUNE) of the event.

CHART O is the corresponding Demi-Lunar for the same Partner-Horoscope and event. Here almost the same Angular planets appear as in the Lunar Return (Chart N). However, this Chart is more characteristic for the event as MARS is high in the sky on the Midheaven accompanied by SATURN (ASC) and URANUS (DESC), while MOON conjunct PLUTO on the IC completes the affliction of all four Angles (Grand Cross).

CHART P, a Prenatal SLR, shows almost the same Ecliptical Angular positions as its Radix, the Partner-Horoscope MANSON/VAN HOUTEN (Chart L).


VENUS conjunct MARS are on the MC and on the radical VENUS/PLUTO opposition, while URANUS and NEPTUNE form a mundane and Ecliptical square from X to VII. Cardinal Signs (Aries, Cancer, Libra, Capricorn) reinforce the strength and significance of this Map.

PRESIDENT R. REAGAN rectified



February 6, 1911 ; 7h 44m 03s U.T.
89 W 48.6 ; 41 N 38

PRESIDENT J. CARTER rectified



October 1, 1924 ; 12h 56m 25s U.T.
84 W 22 ; 32 N 04

THE PARTNER-HOROSCOPE OF JIMMY CARTER AND RONALD REAGAN

Political Adversaries and Contenders for the U.S.A. Presidency

The Radices of former President J. Carter and President R. Reagan have a very close mutual MOON/MOON opposition in the 13th degree of Taurus/Scorpio CHARTS Q and R

The MC/IC axis of the Partner-Horoscope, CHART S, falls exactly on this Zodiacal point.

Concerning the Presidential election in 1980, the MC/IC axis favoured more the Natal Chart of R. Reagan as it is conjunct the dominant MOON/JUPITER opposition. In fact, Jupiter of this Natal Chart is within 20' of arc of the MC of the Partner-Horoscope.

On the day of the Election, November 4, 1980, the transiting SUN was in 12° of Scorpio, conjunct the MOON of the Partner-Horoscope, the radical MOON of Carter, and, one day later, the MC of the Partner-Horoscope and Reagan's Natal JUPITER.

With JUPITER radical conjunct MC and MOON (Partner-Horoscope), reinforced by the transiting SUN, Reagan had a much better chance of winning the election.

However, the Partner-Horoscope, as an auxiliary Chart for the result of elections, litigations, etc., is only workable if the Radices of both contenders are rectified. This Partner-Horoscope shows, in contrast with the demonstrated Charts above, a Map of complete incompatibility:

SATURN conjunct URANUS in X; MOON (= MOON Carter radical) square MARS. MARS in VII, square MC within 6° of arc signifies struggle.



THE AUXILIARY PARTNER-HOROSCOPE

In cases where due to inaccuracies in the two birth times of partners definite conclusions about the relationship become doubtful, the following auxiliary chart is recommended as a support.

This chart, based on pure analogy in respect of the New Partner-Horoscope, has its origin in the consideration that the Radix of the elder Partner can be taken as the Prenatal Transit chart in respect of the younger partner's Radix. The Auxiliary Partner-Horoscope is its complementary common transit chart

PARTNER-HOROSCOPE	RADIX J.PERON	RADIX EVITA	AUXILIARY PARTNER-HOROSCOPE
C ——— c	A ——— c	B ——— c	D
1872, March 11	8610d 20h 52m 29s		1942, Dec. 3

AB(c) = AC(c) = BD (c) = (3) equal distance(s) in days, hours, minutes and seconds (distance between the Radices of both Partners)

C= A minus c = Partner-Horoscope **J. PERON – EVITA**(page 10.)


D = B plus c = Auxiliary Partner-Horoscope **EVITA – J. PERON**(below)

This chart is warmly recommended because it does not require much computation. All figures used for the New Partner-Horoscope remain unchanged.(**Please use the computed figures from page** 10)

c (difference) = 8610d : 20h : 52m : 29s

Radix Evita Peron (a) 1919, May 7	08h 56m 51s U.T.	43590
constant difference c, addl	20h 52m 29s	8610
Auxiliary Partner-Horoscope		
1942, Dec 3	**05h 49m 20s U.T.**	52201

RAMC (Buenos Aires) = **100º 26'**; **MC = 9º Cancer 25'**;
ASC = 15º Libra 48' ; **JUPITER**(Evita) = **11º Cancer 55'**;
SUN(Juan) = **14º Libra 57'**



PARTNER - HOROSCOPE REAGAN/CARTER
June 12, 1897 ; 02h 31m 41s U.T.
Washington D.C.

THE ASCENDANT-LUNAR HOROSCOPE *

This idea originated from the following consideration :
It is possible that the transiting Moon over the radical Ascendant could show a certain efficacy as a Return Chart.

However,miracles had not been expected as many of the auxiliary charts that had been analyzed, such as the Lunar Return derived from the Solar Return, proved to be too remote.

The only Lunar Return that seemed to match the common Sidereal Lunar so far had been the Secondary - or NATAL\Quotidian-LUNAR, derived from the Secondary Progressed (and Regressed) Moon.

(The main cycles and their interpretation are explained in the writer's book " *Prediction - Using Common and Prenatal Cycles* ").

Misinterpretation and false conclusions can be excluded from workable Lunars if these simple rules are observed:
(a) Consider only those Luminaries and planets that are near the Angles of the chart.
(b) Draw conclusions from the shape (structure) of the map, i.e. planets above or below the Horizon, accumulations in certain Quadrants, etc.

Supported by experience, a great number of Ascendant-Lunars have been analyzed, and this method has proved to be valid. Readers should note that precession of the Moon (as in all Sidereal cycles) has to be taken into consideration.

EXAMPLE : EDWARD KENNEDY CHART 1
February 22, 1932 ; 8h 58m 42s U.T. rectified, 71º W 04' ; 42º N 21'

EVENT : On July 19, 1969, Edward Kennedy was involved in an affair which caused the death of a young woman. She was drowned in his car, while he left the scene unhurt.

Kennedy who, strange to say, neither tried to help his companion nor showed up at the police station, was later acquitted of negligence or felonious intent.

* First published by the author in 1979

THE RELATIONSHIP CHART

(also known as the COMBIN or COMPOSITUM , of Heinrich SCHIFFMANN)

This Partner-Chart which is very much in use, is computed in bisecting:

a) The time elapsed between two nativities

b) The values of the geographic coordinates

EXAMPLE : Relationship-Chart VENDEL POLICH/NELSON PAGE

RADIX Nelson Page	1919, February	25	11h 23m 25s U.T.	43519
RADIX V. Polich	1892, April	26	1h 48m 10s U.T.	33719
			13h 16m 35s	77238
			devided by 2	
COMBIN POLICH/PAGE	1905, September 26		6h 38m 18s	38619


Much care must be taken if the result (addition) in days is an odd number. Example : 77239 = 38619 and (+) 12 hours

North. Lat. Page	51º 32'	West Long. Page	- 0º 08'
" Polich	45º 34'	East Long. Polich	+ 19º 23'
	97º 06' / 2		19º 15' / 2

NORTH. LAT. 48º 33' COMBIN EAST LONG. 9º 38'


CHART (not reproduced) MC = 21º Can 59' ; ASC = 17º Lib 20'

The above illustrates the usual way of calculating these charts. The writer is very doubtful about the usual handling of this Relationship Chart. The bisection of the coordinates produces places in the world that are rather artificial and which have no connection with any of the partners involved. Experience shows that any astrological chart has to be related either to the birthplace, the place of residence, or the place of the happenings. The writer's analysis of these Relationship Charts, the effectiveness of which seems to be very limited, showed that the place where the two partners first met gives more impressive results. The reader is invited to test the continuous superiority of the New Partner-Horoscope over this Relationship Chart.



#1-91

EDWARD KENNEDY
CONCEPTION HOROSCOPE (rectified)
June 2, 1931 ; 22h 42m 29s U.T.
71 W 04 ; 42 N 21



#86

EDWARD KENNEDY
RADIX (rectified)
February 22, 1932 ; 8h 58m 42s U.T.
71 W 04 ; 42 N 21

COMPUTATION OF AN ASCENDANT - LUNAR CHART

Radix EDWARD KENNEDY : EVENT as above, July 19, 1969
The appropriate Ascendant-Lunar : June 29/30, 1969

MOON	10º Capricorn	58' (Ecliptical position of ASC rad.)
	+	31' (Precession for 37 years)
	11º Capricorn	29'
	2º "	43' (Moon, June 29, Noon)
	8º	46' (difference)
	15º	20' (Moon's apparent motion in 24h)

8º 46' / 15º 20' * 24 = 13h 43m

13h 43m was finally adjusted to 13h 34m (1h 34m) as the rectification of the Conception-Horoscope (see below) gives an Ecliptical Moon position of 10º Cap 51'.

13h 34m	
2m 14s	(acceleration in 13h 24m)
6h 29m 34s	(Sid. Time June 29 , Noon)
20h 05m 48s	(RAMC Greenwich)
- 4h 44m 16s	(Boston slow)
15h 21m 32s	RAMC BOSTON (Chart 2)

42 N 20
71 W 00

Using the approved method of interpretation wherein those planets characterizing the event are close to the Angles of the Lunar Return, we notice that NEPTUNE, the previously described planet in the Radix, forms a close conjunction with the MC of our Ascendant-Lunar. The suitable symbolism for our event is:
Drowning of a young woman = NEPTUNE opp. VENUS on IC. The drowning itself is supported by the conjunction of MARS and NEPTUNE.

Neptune's elevation over all the other factors symbolizes the actual mystery of this event, which has apparently never been solved. The incompatibility of MARS and NEPTUNE is referred to in the 'Partner-Horoscope'.

For PRIMARY DIRECTIONS see Ed. Kennedy's Radix (Chart 1) and Directions.

The symbolism of an unusually high number of Directions shows that a great number of the demonstrated Directions reflect the event.

This case has naturally caused many doubts but it did not end Kennedy's political career, which, considering the attitude of the public to such incidents, may be regarded as extremely unusual.

Perhaps it is the conjunction of MOON and NEPTUNE in Kennedy's Radix in a very close sextile to the MC that may be identified with this event. It was a mysterious affair (Neptune) in which a woman (Moon) was drowned (Neptune). Moon conjunct Neptune is in the 8th House, the House of death. On the other hand, the sextile of Moon and Neptune to the MC saved Kennedy from being expelled from politics.

Concerning the incident itself, a major role should also be played by the conjunction of VENUS (young woman) with URANUS (unusual event), in the 3rd House, the House of trips and short journeys.

Remarkable in this combination is the very close square of Venus to the Ascendant and consequently to the Descendant (partners). In this connection, it was the close trine of JUPITER to URANUS that inspired Kennedy 'to do the right thing at the right time' , i.e. not surrender himself to the police. Incidentally, it seems very likely that Kennedy was completely drunk at the time of the incident (Moon,Neptune). To be honest, we cannot say that the Radix itself points to the ' most important man in the State ' .

However , analyses of horoscopes of U.S. Presidents with reliable birth times revealed that the Radix alone does not show whether a politician will be elected President one day or not. In contradistinction to this are the horoscopes of rulers of states,such as dictators, and especially queens and kings. In the Radices of these, with few exceptions (short reign) , planets are to be found in the neighbourhood of the MC.

(See Radices of British Monarchs, Prediction II)

CHART 4 : An Ascendant-Lunar for Kennedy's plane disaster in June 1964 shows three planets appropriate for the event, i.e. SATURN, URANUS and PLUTO on the MC - IC axis.

CHART 5: shows an Ascendant-Demi-Lunar for the sudden death of Kennedy's sister caused by a plane disaster. Here the three malefics MARS, SATURN and PLUTO are high in the sky on the MC in a mundane square to the MEAN NODE (Tail). The latter indicates an end to the relationship of people by death if, as in our case, aspected by SATURN (mourning) and PLUTO (shock).

CHART 6 : shows an Ascendant-Demi-Lunar for the death of Kennedy's father which occured on November 4, 1969.


The corresponding Ascendant-Lunar, October 17, 1969; 10h 02m U.T. (not reproduced), which already went into operation 25 days before the event, points out the event with MARS (17º Capricorn) on IC (14º Capricorn) Much more characteristic for the event is the Ascendant-Demi-Lunar. MARS is on the MC; SUN opposite SATURN and NEPTUNE have the Ascendant as common midpoint. SUN (7º Sco20') and SATURN (5ºTau18') both symbolizing the father, are conjunct the radical ASC-DESC axis. As can be seen, Demi-Lunars are always erected on the corresponding Moon's opposition. In our case we have to deal with the position of the radical Descendant plus 31' of Precession.

CONCLUSION :


The described Ascendant-Lunars and Demi's may be used as auxiliary charts of considerable efficacy. However, these Lunars are destined to fulfil much more important tasks, once their astronomical and astrological significance becomes fully realized. As we know, the apparent movement of the Moon is one degree in two hours (average), while the Ascendant covers a whole Sign of the Zodiac (30 degrees) in two hours (average). Therefore, in all cases where analyses with Ascendant Lunars of the demonstrated kind produce fairly good results, we can be absolutely sure that we have a well-authenticated birth time as:

Even a difference of 5' of arc in the Ascendant's Longitude alters the Universal Time of an Ascendant Lunar by 10 minutes in time. Accordingly a difference of 15' of arc between the true Ascendant and the Ascendant originating from records, changes the U.T. and consequently the RAMC of our Ascendant-Lunar by 30 minutes.

EDWARD KENNEDY



CONCEPTION LUNAR (ASC Lunar)
June 30, 1969; 1h 34m U.T.
For YOUNG WOMAN DROWNED July 19, 1969



~~DEMI~~ CONCEPTION LUNAR (ASC ~~Demi~~ Lunar)
May 29, 1964 ; 10h 56m U.T.
For PLANE CRASH June 1964

There is no need to point out that a difference of 30 minutes changes the shape of any cyclic chart considerably. In order to confirm our research results, the author has used 15 rectified birth charts and, as the Ascendant-Lunars revealed, with only one failure. That is to say, 14 properly rectified horoscopes, using a considerable number of events, have been confirmed by the above demonstrated Ascendant-Lunars within a few minutes of arc.


In all cases where the Ascendant-Lunars do not produce characteristic charts for corresponding events, it is possible to experiment with Ascendant positions (Lunars) for earlier or later birth times. This method of rectification does not need any trigonometrical knowledge but requires some caution and patience. It is, after the rectification method with Primary Directions, the most reliable method for authenticating birth times within a few minutes of arc (of RAMC).

The Ascendant-Lunar may be compared to a magnifying glass, where the multiplier is 30 to 1, i.e. one minute of changed birth time corresponds to thirty minutes in the Ascendant-Lunar time (average). This is because the Ascendant moves 15' of arc in one minute of time and it takes the Moon 30 minutes in time to travel this 15' of arc. In cases where the true birth time cannot be detected because it is too far out of range for the recommended method, the reader should use common Sidereal Lunar Returns. In this case, one minute of difference in the birth time corresponds to one minute of Lunar time. After a rough rectification with Sidereal Lunars we may continue a more refined rectification with Ascendant-Lunars.


The Ascendant Lunar is highly effective in all Radices which represent a normal birth, i.e. where the time period between conception and birth has been 9 months (around 270 days).

The most reliable rectification method, of course, remains the rectification with Topocentric Primary Directions, with a considerable number of events available. (See, *Prediction II*)

EDWARD KENNEDY



DEMI CONCEPTION LUNAR (ASC Demi Lunar)
May 12, 1948 ; 22h 35m U.T.
For SISTER PERISHED IN A PLANE CRASH
May 13, 1948



PRENATAL DEMI CONCEPTION LUNAR
June 24, 1914 ; 8h 49m U.T.
For SISTER PERISHED IN A PLANE CRASH
May 13, 1948

A NEW RELIABLE METHOD TO TRACE THE CONCEPTION - HOROSCOPE

The analysis of the Ascendant- Lunar demonstrated on the Radix of Edward Kennedy showed the application of this Sidereal Lunar Return to achieve well-authenticated birth times. However, going more deeply into this subject, the writer realized that the Ascendant-Lunar perhaps could be the first clue for an identification of the Conception-Horoscope, also called the Prenatal Epoch.

Those readers who are acquainted with elements of the Prenatal Transit System perhaps already expect a prenatal equivalent for this Ascendant-Lunar.

Indeed, work on a Prenatal Ascendant-Lunar was simultaneously carried out with the hope of making a successful approach to the astrological expression and the timing of a Conception-Horoscope.

According to some traditional beliefs, the Ecliptical position of the radical Ascendant or Descendant should correspond to the Ecliptical Moon position of the Conception-Horoscope, i.e. the Prenatal Epoch. On the other hand, the radical position of the Moon should be identical with the Ascendant or Descendant of the Conception-Horoscope. Prior to the author's newly-started research upon this matter, all the experiments failed, because the horoscopes with well-authenticated birth times could not be forced to fit into these mutually dependent conditions.

A comparatively simple answer to the question of a Conception-Horoscope, which in the author's opinion had never been solved to full satisfaction, is a PRENATAL SIDEREAL-LUNAR derived from the Ascendant-Lunar. (See previous chapter).


Let us presume that the Moon of the Prenatal Epoch (Conception-Horoscope) should have the very same Ecliptical position as the radical Ascendant, then we may, if the experiments are successful :

(a) rename the Ascendant-Lunar of the Radix as an ordinary Sidereal Lunar of the Conception-Horoscope ;

(b) be able to find the date and time of the Conception-Horoscope with the aid of the prenatal version of the Ascendant-Lunar (now the Conception-Lunar) ;

(c) regard the identified Conception-Horoscope as the astronomical and astrological center of both the ordinary Lunar (formerly ASC-Lunar) and its prenatal equivalent, the Prenatal-Lunar .

A great help in all the investigations has been the fact that, with only one detected exception, it was possible to experiment with well-authenticated (rectified) birth times. This provided a really consolidated starting point. Neither traditional rules nor modern medical assumptions had been fully taken into consideration, because the search for the Conception-Horoscope has been carried out by purely astronomical and astrological means. The Prenatal Sidereal Lunar of the Conception-Horoscope, the date and time of which was at first unknown, served as a fundamental idea.




Distance AB KNOWN

Distance XB (almost equal) XY UNKNOWN


This seemed to be a mathematically insoluble problem. However, the following consideration helped to find a solution: The distance between date and time of the Conception-Horoscope and the already known Lunar Return of the Conception-Horoscope (formerly the Ascendant-Lunar) must be almost the same as the distance between the unknown Conception-Horoscope and the still unknown date and time of the Prenatal Lunar of this Conception-Horoscope.

Presuming that the former Ascendant-Lunar of the Radix is in fact the ordinary Lunar of the Conception, we may proceed as follows :

EDWARD KENNEDY



ASC DEMI LUNAR (Demi Conception Lunar)
October 30, 1969 ; 22h 10m U.T.
For DEATH OF FATHER November 4, 1969



PRENATAL DEMI CONCEPTION LUNAR
January 2, 1893 ; 10h 12m U.T.
For DEATH OF FATHER November 4, 1969

A glance at the Ephemeris shows that the Moon had reached 10º Cap 51' on January 16, 1893. Because of the irregular apparent motion of the Moon the true prenatal Lunar date may differ from the computed one by roughly up to three days. In our case we observe a difference of two days.

COMPUTATION 3

MOON Conception Horoscope	10º Capricorn 51'	
Recession 1931 - 1893	- 31'	(subtractive as prenatal)
	10º Capricorn 20'	
MOON January, 16, 1893	8º Capricorn 30'	
difference	1º 50'	
MOON in 24 hours	12º 35'	

1º 50' / 12º 35' x 24 = 3h 30m

3h 30m
35s (acceleration)
19h 44m 35s (Sid. T. at Noon, January 16, 1893)
23h 15m 10s RAMC Greenwich
- 4h 44m 16s Boston slow
18h 31m RAMC BOSTON (Chart 6 B)

In this Prenatal Chart we notice an unusually large number of planets on the Angles. According to experience, this indicates that in this Lunar period an event is very likely to happen. The death of father is shown by the closely ascending MARS and the descending SATURN which also has a small orb, while JUPITER, still within the region of the Ascendant, points to an inheritance and succession.

WE find the same MARS/SATURN opposition associated with Jupiter in the prenatal Demi-Lunar which naturally is closer to the event by two weeks (Chart 6a). The Angularities of MERCURY and VENUS in both Maps (Chart 6a and Chart 6b) could be a further indication for the inheritance and the formalities associated with it.
VENUS = money ; MERCURY = documents).

COMPUTATION 1

To find the time period of the Conception-Horoscope on the Radix of Edward Kennedy (Chart 1)

BIRTH February 22, 1932	48264	(from Day-Number-Tables)
minus 273 days	273	
May 25, 1931	47991	

We have to look for the Conception-Horoscope around this date if we are dealing with a normal birth. In question are those days at which the Moon reaches either the place of the radical Ascendant or Descendant. According to the Midnight Ephemeris, 1931, we get the following dates as possible of the true Conception-Horoscope.

A.	June 2	MOON	28º Sagittarius	15'
B.	May 21	"	9º Cancer	50'
C.	June 17	"	5º Cancer	54'

Points as far as C may be probably neglected.

In most cases analyzed success was achieved at the first attempt because the true date and time of the Conception-Horoscope were in the vicinity of the hypothetical date, here May 25, 1931.


In our case June 2, 1931, was detected as the true astrological date.

COMPUTATION 2:


Conception-Horoscope, Edward Kennedy June 2, 1931
Event: Death of father November 4, 1969
Corresponding Lunar of Conception (formerly ASC-Lunar) = Oct. 17, 1969

October 17, 1969	62016	
June 2, 1931	- 47999	
difference in days	14017	subtract
January 14, 1893	33982	


EDWARD KENNEDY



PRENATAL CONCEPTION LUNAR
November 7, 1899 ; 21h 09m U.T.
For IN OFFICE AS SENATOR Jan.9, 1963




PRENATAL DEMI CONCEPTION LUNAR
October 24, 1899 ; 13h 19m U.T.
For IN OFFICE AS SENATOR Jan. 9, 1963



EDWARD KENNEDY
PRENATAL CONCEPTION LUNAR
January 16, 1893 ; 15h 30m U.T. Boston
For DEATH OF FATHER November 4, 1969

42N20
71W00



EDWARD KENNEDY
PRENATAL CONCEPTION LUNAR
December 14, 1898 ; 17h 47m U.T. Dallas
For ASSASSINATION OF HIS BROTHER J.F.K.

In the actual Conception-Demi-Lunar (Chart 6) originally reproduced above as Ascendant-Demi-Lunar, the necessary indications for ' Death of father ', such as the Angularities of SUN, MARS and SATURN are already registered.

For ' the entering upon an office ' by Edward Kennedy as a Senator on January 9, 1963, the corresponding Prenatal Conception Lunar is at November 7, 1899 (Chart 7). The characteristic planets for this event are undoubtedly SUN conjunct JUPITER on the Descendant.

The corresponding Prenatal Demi-Lunar shows a conjunction of MARS and JUPITER on the Ascendant (Chart 7a). With this Map, two weeks nearer to the event, the Cardinal position of JUPITER in the LUNAR (Chart 7) has been verified.

The reader may have noticed that in this chapter only converse, i.e. prenatal charts have been discussed and reproduced. This is because these prenatals are the only charts that may be taken as proofs for the properly authenticated Conception-Horoscope (Prenatal Epoch), while Ascendant-Lunars in the previous chapter, here renamed Conception-Lunars support the theory for charts which seem to be appropriate for the events analyzed.

The author's trust and confidence in this theory result from the analysis of a great number of Radices.

Two more events in Edward Kennedy's life are reproduced which should not only show the efficacy of the charts but which help to confirm the validity of the Conception- Horoscope (Chart 1a).

EVENT : Assassination of his brother, JOHN F. KENNEDY.
computed for the place of the happenings, Dallas (Chart 8).
SATURN on the MC in opposition to Pluto on the IC within a mundane accuracy of 9' of arc. (RA Saturn = 254º 38' ; RA Pluto = 74º 29')

For ' His sister's death in an air crash' ; May 13, 1948, the Prenatal Demi-Lunar of the Conception Horoscope, June 24, 1914, is reproduced (Chart 5a). MARS on IC and SATURN on ASC are in a very close mundane square. (See also the corresponding Demi-Lunar, Chart 5, as explained above).

THE DUAL-TEST *

BY PRIMARY DIRECTIONS AND THE CONCEPTION-HOROSCOPE

While Lunar Returns and their Prenatals derived from the radical Ascendant which we renamed as Conception-Lunars, are only imperfect proofs for the usefulness of the Conception-Horoscope, other methods had to be found to give this phenomenon a true, practical and scientific base. The best way for this, so it seemed, was a test that would show the efficacy of this Conception-Horoscope in other already proven astrological systems when working on a birth chart. In contradistinction to the Lunars' that we used above for the search of the Conception-Horoscope via characteristic planets on the Angles of the chart, Primary Directions which mature with very small orbs should not only prove the effectiveness of the chart but, what seems to be more important, could give decisive proofs of the precise date and time of the Conception-Horoscope also known as the Prenatal Epoch.

The workings of Primary Directions have been extensively explained in '*Prediction //* - **Directions and the Art of Rectification** ' .
Here the author will restrict himself to general explanations.


The following Primary Directions have been found to be effective in the Radix and the corresponding Conception-Horoscope :

a) Radix factors directed to Radix factors
b) " " " " factors of the Conception-Horoscope
c) Factors of the Conception-Horoscope directed to factors of the Conception-Horoscope
d) " " " " " directed to Radical factors.

As on the average the number of possible Directions increases here by four times compared with our usual Radix analysis, the greatest care must be taken concerning a rectified Radix and Conception-Horoscope, small orbs of the Directions, and the true symbolism of Luminaries, planets, Angles and House Cusps.

As in the analysis of V.I.P.'s the near circumstances of the available events are not always known, we have to restrict ourselves to the most effective and characteristic Directions.

* First published by the author in 1983



JUAN D. PERON
CONCEPTION HOROSCOPE (rectified)
January 8, 1895 ; 7h 38m 34s U.T.
59 W 05.4 ; 35 S 11

4. ENLISTED IN ARMY

Here, as in many other Radices analyzed, MARS plays a main role by his pure symbolism. The 12th Cusp expresses perhaps a confinement to the barracks for a certain time.

5. MARRIAGE

These characteristic Directions with the Significators ASC and DESC, combined with : MOON, VENUS and JUPITER, do not need any explanations.

6. SHAKEN IN DEBATE

MERCURY and the 3rd Cusp symbolize the debate, while MC d square NEPTUNE may have involved some sort of misunderstanding or confusion.

7. HIS BROTHER, J. F. KENNEDY ASSASSINATED

The DESCENDING NODE represents here ' separation from a relative or friend by death . Very significant are the Secondary Directions with the 3rd Cusp symbolizing the brother.

8. PLANE CRASH

The accident itself is symbolized by URANUS d conjunct MERCURY and ASC d quincunx PLUTO. SATURN c square DESCENDING NODE could be characteristic for the death of a relative or friend involved in the same accident, circumstances of the plane crash the writer does not know.

9. BROTHER ASSASSINATED

As in the similar event No. 7 the NODE appears this time with NEPTUNE (ambush,conspiracy).

10. YOUNG WOMAN DROWNED

This event which was noticed world-wide has been explained in connection with the Birth Chart and Lunar Returns. It is backed up by a considerable number of characteristic and powerful radical Directions. The DESCENDING NODE indicates death (of a relative or friend) while reached by the converse radical MC. Sudden death by accident is covered by VIII d opposite URANUS.

I remind the reader that in Primary Directions the 8th Cusp is a Significator of death for the people in the native's surroundings, but never for the death of the native himself.

The reader will notice that five of Edward Kennedy's main events have already been demonstrated in various Conception-Lunars which however in the first instance express the main psychological experiences of the native during the time period of the cycle in question, and should not be combined with the interpretation of Directions.

DUAL-TEST RECTIFICATION : RADIX AND CONCEPTION-HOROSCOPE OF EDWARD KENNEDY

(See page 99)

1. OPERATION (Tonsils)

Of significance here is XII converse semisquare SATURN rad., which might express a stay in a hospital and (or) some endured pain. Pain is also expressed in ASC direct (Epoch) sextile SATURN rad. Experience has shown that malefics (MARS, SATURN, NEPTUNE, PLUTO), if directed, in harmonious aspects to other radical factors do not necessarily produce positive, i.e. agreeable events. Of course, this sextile obviously also expresses that the operation had been successful and probably without any complications.

URANUS c conjunct VENUS points to ' Tonsils ' by two radical and conceptional indications:

Radix aspect : VENUS conjunct URANUS (Chart 1)

Epoch aspect : VENUS near an Angle, in Taurus, the Sign symbolizing the neck. (Chart 1 a)

2. BROTHER DIED IN A PLANE CRASH

Here the three Directions with PLUTO are most characteristic. Although the 3rd House Direction with VENUS in III (brothers, sisters) would suit the traditional rules of interpretation, the efficacy of a female planet in this connection seems to be doubtful.

As can be seen on the list, PLUTO is involved in most of the deaths of Edward Kennedy's relatives.

3. SISTER DIED

Beside PLUTO (two squares with the IC) VIII d opposite MOON is very characteristic for the event.

As both charts are very characteristic for the event it is impossible to make a reliable choice for the position of the Moon in the wanted Conception-Horoscope, i.e. whether the ASC or the DESC of the Radix (Chart A) should be the Zodiacal point of the Moon in the Conception-Horoscope.

On the other hand the reader might have noticed that MOON Radix = 6º Gemini 54' is very close to the rectified radical Descendant = 6º Gemini 48'. For this reason in this Radix the common Sidereal-Lunar for the radical Moon will always give similar results to the Lunar erected on the Tropical(precessed) position of the radical Descendant. The only way in this exceptional case is a search for the not-yet-known date and time of the Conception-Horoscope by means of prenatal Conception-Lunars.

At first we try to find the date of a possible conception.

Date Radix October 8, 1895, plus 3 months minus 1 year = January 8, 1895. We notice that the Moon reaches the radical Descendant exactly on this date. The distance between both dates consists of 273 days which corresponds to the average time that passes between the conception and the birth under normal conditions.

In this case we have good reason to assume that we have found the wanted date for the Conception-Horoscope.

Wanted time for Jan 8, 1895 MOON = 6 Gemini 48'

The assumed provisional date and time for the Conception-Horoscope gives: January 8, 1895 ; 7h 34m U.T., RAMC = 162º 01'
(Birth coordinates, assuming that the place for conception and birth were identical).

We have now the possibility to check this date with the aid of Prenatal Conception- Lunars, or to risk a rectification. The writer recommends that the date is first confirmed or rejected with a number of Prenatal Conception-Lunars. (This especially in cases, where no micro-processor is available).

COMPUTATION:

Descendant-Lunar for death of father		
	October 31, 1928	47055
Conception ?	January 8, 1895	34706
difference, subtract		12349
March 18, 1861		22357

Date and time of Descendant-Lunar(Conception-Lunar?) CHART V (page 58) March 17, 1861 ; 21h 15m U.T. (1 day difference because of the irregular apparent motion of the Moon).

11. FATHER DIED

Here MC d square PLUTO is the most impressive Direction for the event. Traditional Astrology would associate PLUTO with a rulership of the radical MC in Scorpio(death).

As in Radical and Directional interpretations, the traditional rulership of planets only occasionally fits the situation, the writer always first considers the true symbolism of the planets and the Houses as Significators. On the other hand it is obvious that the traditional rulership of planets, giving each planet two Signs of the Zodiac, is not justified since three more planets have been found.

JUPITER square ASC, although a very powerful Direction, cannot be directly associated with the death of Ed. Kennedy's father. It may concern some difficulties in matters of an inheritance, which here might have been reflected by PLUTO c sextile JUPITER. (Jupiter/Pluto combinations are typical for inheritances and successions).

12. ELECTED SENATOR

The 3rd Cusp is the true Significator for elections; supported by favourable Directions with : MC, SUN, MERCURY, MOON, JUPITER and URANUS.

EXAMPLE 2 : JUAN DOMINGO PERON, Party leader and President of Argentina

CHART A (page 4)

RADIX rectified : October 8, 1895, 12h 04m 22s U.T 59ºW05' ; 35ºS11'

SEARCH FOR THE CONCEPTION - HOROSCOPE VIA ASCENDANT-LUNARS


After a satisfactory rectification of PERON's Radix it is first necessary to ascertain the result with Ascendant-Lunars (already demonstrated on Edward Kennedy's Chart above).

The computed ASC-Lunar for the death of Peron's father gives a CHART (I) with the following indications : (page 57)


MC 8º Aries; URANUS 4º Aries; DESC 21º Sagittarius; SATURN 17º Sag.

The corresponding DESC-LUNAR, CHART U (page 57)


IC 4º Aries ; URANUS 5º Aries; DESC 19º Cancer; PLUTO 18º Cancer; MARS 5º Cancer .




CONCEPTION LUNAR (DESC Lunar)
October 31, 1928 ; 1h 49m U.T.
For DEATH OF FATHER Nov. 10, 1928



DEMI CONCEPTION LUNAR (ASC Lunar)
October 17, 1928 ; 14h 31m U.T.
For DEATH OF FATHER Nov. 10, 1928



JUAN D. PERON
PRENATAL DEMI CONCEPTION LUNAR(ASC LUN)
April 6, 1844 ;19h 06m U.T.
For 2nd MARRIAGE October 22, 1945




JUAN D. PERON
PRENATAL CONCEPTION LUNAR
March 17, 1861 ; 21h 15m U.T.
For DEATH OF FATHER Nov.10, 1928

The reader will observe that in many cases where Directed radical factors had been compared with radical positions of the Conception-Horoscope and vice versa, the orbs exceed the usual limit although the appropriate symbolism for the event analyzed cannot be denied. Astronomical reasons for this difference are under observation. To put these 'outsiders' on correct mathematical and astronomical grounds needs some more research into this matter.

The writer advises the reader to start the DUAL-TEST with the Radix and the Conception-Horoscope on their own charts and on the Radices of their relatives and friends. Subsequent observation of major and minor events and their circumstances help to classify the corresponding Directions.

JUAN D. PERON



CONCEPTION LUNAR (DESC Lunar)
May 14, 1953 ; 7h 38m U.T.
For DEATH OF MOTHER May 30, 1953

MC 16º Gemini; URANUS 8.5º Gemini; MOON 6º Gemini 19 ;
ASC 7º Virgo ; SATURN 5º Virgo
SATURN for 'Father' and URANUS probably for a sudden event (most cycles analyzed for this event have a dominant URANUS) are very promising for our conception date.

We compute another prenatal chart to confirm the promising result.
EVENT : 2nd marriage October 22, 1945 .

Corresponding Demi-Conception-Lunar October 10, 1945 (not reproduced)
Prenatal Demi-Conception-Lunar April 6, 1844, 19h 06m U.T., CHART W (page 59)
This chart with VENUS, MARS on MC and MOON on DESC (orb 1º) satisfies the conditions for marriage.

The writer reminds the reader that for the interpretation of all kinds of Lunars, only planets close to the Angles are characteristic for an event or the psychological experience of the native during the time period in question. Sometimes Ecliptical squares to these Angular planets with orbs under two degrees may be of some importance. Lunar planets in aspects to radical factors are in general inconsequential. Here the transits of the day of the event and the corresponding prenatal transit-day should be observed more closely.

Very characteristic for a conception with MOON in 6 Gemini are the Descendant-Lunars (Conception-Lunars) for Peron's death. July 1, 1974.


Conception-Lunar, June 18, 1974 19h 11m U.T.; CHART Z (page 63)
MC 13º Leo; MARS 6º Leo; ASC 3º Sagittarius; MOON 7º Gemini 54';
NEPTUNE 8º Sagittarius.

The corresponding Prenatal-Conception-Lunar:
August 28, 1815, 1h 57m U.T.
MC 4º Aquarius SATURN 7º Aquarius
ASC 0º Taurus; Mars 29º Aries


Experience shows that in cases of illnesses and death the converse (prenatal) charts are usually more characteristic for the event.

The final decisive test for the validity of any Conception-Horoscope is a rectification with Primary Directions in the same way as demonstrated with the Radix of Edward Kennedy. (See page 101)

JUAN D. PERON



PRENATAL CONCEPTION LUNAR
August 28, 1815 ; 1h 57m U.T.
For DEATH July 1, 1974



CONCEPTION LUNAR
June 18, 1974 ; 19h 11m U.T.
For DEATH July 1, 1974

SUPPLEMENT

While the manuscript of this book was waiting to be printed, the writer succeeded in finding some more particulars and rules about the workings of the Prenatal Epoch that should facilitate search and analysis.

1. In order to perform the DUAL-TEST a rectified birth chart is indispensible.

2. The general rule has to be observed : namely, the MOON is either waxing in both the birth and Epoch maps , or else waning in both maps. (Exceptions to this rule occur only when the birth is premature, artificially induced, or performed surgically: thus Queen Elizabeth, born by caesarian section, has a waxing Moon in her Radix but a waning one at conception).

3. In most cases the Zodiacal longitude of the radical Ascendant or Descendant is almost identical with the longitude of the Conception Moon.

3(a). The almost perfect congruency of radical Ascendant-Descendant and Conception Moon is obviously related to the critical location of the radical Ascendant which, despite an exact RAMC rectification, depends also on the exactness of the birthplace coordinates.

3(b). Experience shows that by paying regard to the rules 1 to 3a, in most cases, the final rectification of the Conception-Horoscope does not cause any difficulties as its directed factors (to the Conception-Horoscope and to the Radix) produce sufficient Directions for a secure rectification. Limited to the position of the Moon (radical ASC or DESC), the speculative time for the conception is much closer to the true one than the usually available unrectified time of birth.

3(c). Exceptions :

In very few cases (up to the present day only three out of 52) the difference between the position of the radical Ascendant (or Descendant) and the Conception Moon may reach and even exceed one degree. Here the writer recommends proceeding as follows:

If rule 3 seems not to work, it is necessary to make an analysis with the Conception-Lunar described in this book.

These exceptions obviously result from some irregularities which are connected with the actual birth process.

About thirty events (eight of which were common to the twins) analyzed in the horoscopes of both twins brought the proof that in this special case the Ecliptical, radical Midheaven position of the twin born first proved to be the wanted Moon position for the Conception which, of course, these identical twins had in common.

Another peculiarity of these Nativities was an eight months' time period between conception and birth which in the case of identical twins is not unusual.

Summarized features of this analysis:

1. The identical twins were born with a time difference of two hours.
2. We had to deal with eight months' babies.
3. Conception and birth happened at different localities.
4. The MC of the elder twin was the base for computing the Conception Horoscope. (MC twin 1 = Moon of Conception).

The outcome of the analysis for 1 - 4 corresponds to the witness of the mother as well as to the historically provable date, the liberation of Riga on May 22, 1919.

This analysis may be a link for further investigations into the lives of identical twins. Charts and events in the life of these will be demonstrated in a U.S. astrological journal.

4. The starting point for the conception should be what we may call the **Middle Epoch Day.**
This date corresponds to a radical Moon position nine months before birth.

5. The general rule which, with amendments, has been adopted from ancient astrologers, and which states that the duration of pregnancy is shorter if the Moon in the birth chart is above the horizon and longer if the Moon in the birth chart is below the horizon has not been found reliable. Although this rule does produce results that are statistically significant, its frequency of being correct falls too short for it to be considered as a general rule.

6. The rule that the Ascendant or Descendant of the Conception Horoscope should correspond to the radical Moon is not valid. Moreover, it is illogical to expect a mutual congruency between the Ascendant or Descendant and the Moon in both the birth chart and the Conception Horoscope.

7. Seven month's babies:

Here reduced to seven months, possibly the same rules have to be applied as in normal cases. So far only one reliable (secure) case has been successfully analyzed.

8. Identical twins:

The following particular case has shed much light on astrological research of twins.

' About 10 years ago the writer succeeded in rectifying the birth charts of identical twins who where born with a time difference of two hours. However, in spite of several efforts during this long period of 10 years, it seemed to be impossible to find the conception date and time which these identical twins should have in common. This in spite of the fact that the day of conception was undoubtedly known'. The father of these twins stayed only one day in his home while fighting against the Soviets when liberating RIGA on May 22, 1919). In the mean time a great number of scientifically correct and provable Epoch identifications have been produced by the writer, validating the above demonstrated cognitions.

AN INTRODUCTION INTO THE WORKINGS OF FIXED STARS

The following research results are based on over 120 rectified birth charts of which about 70 are the horoscopes of V.I.P's. and 50 of relatives, friends and clients.

The controversial treatment of fixed stars by the ancients as well as in the middle ages and in our time made it quite difficult to find a solid base and a real starting point. Nevertheless, it must be admitted that a lot of truth can be found in the traditional interpretation and evaluation of fixed stars. Here mainly the research during the bloom of Arabian culture seems to be essential for the names of the fixed stars and their characteristics.

However, modern astrological research should be free of magic, superstition and other Neptunian analogies. From this point of view, as confirmed by analysis, the nature of fixed stars should neither be connected with the name of their constellations nor with the name of Zodiacal Signs whether applied in the Tropical or Sidereal measurement.

According to tradition, SIRIUS, a bright star of the 1st order, is correctly classified as benevolent. In contrast with this traditional statement, Sirius is also said to be effective in dog bites or assaults of wild animals,merely because it is located in the constellation of the GREATER DOG. There are many examples of this kind which contradict the actual nature of the star in question.

A second problem which seems not to have been solved is the true symbolism of any fixed star. Here we find contradictory interpretations throughout the whole star catalogue.

I hesitated a long time before I decided that fixed stars should have an individual significance which in its pure form can only be traced if their dominant position is an Angle and no other factors (Luminaries or planets) are involved. For this reason I have classified fixed stars only as:
a) BENEFIC b) MALEFIC or c) NEUTRAL

I fully agree that fixed stars may shape the destiny of individuals as well as the destiny of countries and states. No wonder that individuals who have decisively influenced mankind's history in politics, science or the arts show more influence from fixed stars than ordinary persons.

RELATIONSHIP OF THE MOON AND ASCENDANT IN THE RADIX and THE CONCEPTION MAPS

Native	ASC Long	Indicator Moon rad	MOON Long	Indicator Moon e	Interval (days)
Queen Victoria	1 GE 20	B F	1 GE 19	B F	273
George V	18 PI 58	A F	18 PI 59	B F	274
Edward VIII	4 AQ 10	B N	4 LE 10	A N	266
George VI	0 SC 11	B N	0 SC 10	B N	275
Elizabeth II	13 CP 23	A F*	13 CN 28	A N*	275
J.F.Kennedy	18 LI 19	A F	18 LI 19	B F	270
R. Reagan	25 SC 50	B F	25 TA 51	A F	273
W. Mondale	6 PI 19	B F	6 VI 21	B F	285
Ed. Kennedy	10 CP 58	A N	10 CP 51	B N	264
John Lennon	16 AR 09	A F	16 AR 09	A F	268
Grace(Monaco)	4 SC 41	B F	4 TA 40	B F	270
Rainier(")	5 AR 38	A N	5 AR 40	A N	265
				Average interval =	270

Indicators :

A = above the horizon
B = below the horizon
N = waning, i.e. approaching the New Moon
F = waxing, i.e., approaching the Full Moon
r = radix
e = epoch

*Note that the normal birth times, without exception, have the same indicators in the birth and epoch charts(approaching a New or Full Moon.) Queen Elizabeth's birth is an exception because the birth was overdue and required a caesarian section.

MUNDANE CONJUNCTIONS OF FIXED STARS IN RADICES OF INDIVIDUALS

Much more effective than fixed-star conjunctions in longitude are their conjunctions in RA, OA and OD with the Angles of the Radix and to a certain extent also with the Angles transposed to permanent places of residence.

It is quite evident that the Transit and Prenatal Transit Systems as well as the traditional Directional Systems (Prediction II) follow the Tropical measurement to the full extent. This is quite logical as the Tropical measurement is directly associated with the Ecliptic, the base of our planetary system. However, it cannot be denied that the fixed Heaven with its fixed stars in the constellations is superimposed on our Solar System.

The high efficacy of Sidereal Solar and Lunar Returns is to be found in the conjunctions of Luminaries and planets to the Angles of the chart. These conjunctions are only truly significant if they are computed in a mundane manner, i.e. in RA on MC and IC, and in OA (OD) to the Ascendant (Descendant). We have to realize that these conjunctions are completely dissociated from the Ecliptic. This dissociation suits fixed stars best as they belong to the superimposed Heaven and, besides this, in most cases have a very high latitude, i.e. a very remote position from the Ecliptic.

For the following examples, most of which are taken again from rectified radices published in Prediction II, I used only the most prominent fixed stars - twenty for RAMC conjunctions and oppositions (conj. RAIC) and fourteen for risings and settings. Six of the twenty prominent fixed stars neither rise nor set at moderate northern and southern latitudes. For computation see Tables B and C and the directions for their use.

Besides this they characterize people who became famous or infamous. For instance, ALGOL with good reason, is said to be one of the most destructive, dangerous and fatal stars.
ALGOL conjunct MC or ASC has been found in horoscopes of many murderers, mainly sex maniacs.

ALGOL conjunct MC shows the death of the gifted astrologer KARL ERNST KRAFFT. in a concentration camp.

IVAR KREUGER, once a man of immense fame and wealth, committed suicide after he was ruined due to his own illegal acts in stock exchange matters. ALGOL was conjunct IC while ALDEBARAN was conjunct MARS in his Radix horoscope.

ALGOL conjunct SUN can be found in the Chart of the well-known astrologer ELSBETH EBERTIN, who perished in a bombing raid.

As we will see later, Algol is also frequently involved in events where obviously the planet to which it is conjoined gives the answer for the kind of happenings. This also concerns all kinds of incurable illnesses.

In view of these examples shown with Algol and also, of course, with other frequently appearing fixed stars of the 1st order, it seems quite logical that the classification of stars into a) benefic b) malefic and c) neutral gives a better starting point in this field of research than the frequently contradictory combined symbolism (of several planets) of traditional astrology.

To give the reader the possibility to analyze the examples given in this chapter, I have used most of the rectified charts(numbers in brackets) published in *Prediction II.*

Importance and strength of 50 main fixed stars (Tables A,B,C) are classified as follows:

a) *** major fixed stars(11) of first magnitude and highest efficacy;

b) ** major fixed stars(11) of first and second magnitude and high efficacy;

c) * fixed stars (16) of considerable importance, appearing frequently ;

d) unclassified fixed stars (12) which showed some noteworthy effectiveness in the writer's analyses.

EFFECTIVE FIXED STARS DEMONSTRATED ON RADICES OF U.I.P.'s most of which are published in Prediction II (Charts 1 - 15)

(For computation please see TABLE A, B, and C)

JOHN LENNON (1) October 9. 1940 ; 17h 24m 17s U.T.
(Composer and idolized member of the famous English musical group, 'The Beatles')

ALGOL (8) rad., malefic***	25º 20' 31"	Taurus
URANUS rad	25º 33' 06"	Taurus
difference	12' 35"	

Algol precessed for July 15, 1956, death of mother 25º 33' 42" Taurus

URANUS rad	25º 33' 06"	Taurus
ORB	36"	

JUPITER	rad	13º 41' 33"	Taurus
ALMACH	rad	13º 24' 01"	Taurus (7) benefic
		17' 32"	

ALMACH and JUPITER contribute to talent and fame, the Conjunction maturing around the age of 21.

SPICA (33) benefic *** descending	18h 22m 08 s (RAMC : OD +6h)	
RAMC rad	18h 25m 02 s	
ORB	2m 54s = 43.5'	

SPICA for fame and popularity

QUEEN VICTORIA (2) May 24, 1819; 4h 02m 04s U.T.

ALTAIR rad (44) benefic ***	29º Cap 13.6'	
MC rad	29º Cap 06'	
ORB	7.5'	

ALTAIR conjunct MC significant for Queen Victoria's succession to the throne.

EFFECTIVE FIXED STARS DEMONSTRATED ON RADICES OF U.I.P.'s
most of which are published in Prediction II (Charts 1 - 15)

(For computation please see TABLE A, B, and C)

JOHN LENNON (1) October 9. 1940 ; 17h 24m 17s U.T.
(Composer and idolized member of the famous English musical group, ' The Beatles ')

ALGOL (8) rad., malefic***		25º 20' 31"	Taurus
URANUS rad		25º 33' 06"	Taurus
	difference	12' 35"	

Algol precessed for July 15, 1956, death of mother 25º 33' 42" Taurus
URANUS rad 25º 33' 06" Taurus
ORB 36"

JUPITER rad 13º 41' 33" Taurus
ALMACH rad 13º 24' 01" Taurus (7) benefic
17' 32"

ALMACH and JUPITER contribute to talent and fame, the Conjunction maturing around the age of 21.

SPICA (33) benefic *** descending 18h 22m 08 s (RAMC : OD +6h)
RAMC rad 18h 25m 02 s
ORB 2m 54s = 43.5'

SPICA for fame and popularity

QUEEN VICTORIA (2) May 24, 1819; 4h 02m 04s U.T.

ALTAIR rad (44) benefic ***		29º Cap	13.6'
MC rad		29º Cap	06'
	ORB		7.6'

ALTAIR conjunct MC significant for Queen Victoria's succession to the throne.

NORTH ASELLUS rad (26), malefic *	5º Leo 40'
MARS rad	5º Leo 35'

Fall from a horse, pelvic fracture (see Prediction II, Prim. Dir.)
SATURN d conjunct MARS and N. ASELLUS rad.

By tradition, besides others, N. Asellus is associated with 'injuries by or together with animals'.
MARS/SATURN combinations are very characteristic for falls. (MARS rad in LEO by tradition may be associated with horses).

EDWARD VIII (5) June 23, 1894; 22h 03m 04s U.T.

DENEB AGIDE (48), neutral *'	3º Pis 55'	
		Succession
MOON rad	3º Pis 57'	
ALGOL rad (8), malefic***	24º Tau 42'	died from
VENUS rad	23º Tau 17'	larynx cancer

Three cases of cancer of the larynx had been observed with this very same combination. (See the analysis of the writer's Chart, below).

GEORGE VI (6) December 14, 1895; 03h 22m 58s U.T.

AGENA rad (37), benefic **	22º Sco 20.9'
URANUS rad	22º Sco 07'

Succession to the throne after his brother's resignation. Here URANUS is very characteristic for an unexpected and surprising event.

ALGOL rad (8) *** , malefic, 24º Tau 43' has a close opposition to MOON rad 25º Sco 02'.
No evidence for the effectiveness of aspects other than conjunctions has yet been found, unless a third planet is involved in conjunction with the same fixed star.

Beneficial fixed stars mostly of the 1st order, in conjunction with the Angles, Sun, Moon or the planets, are very frequent in Radices of monarchs. Their succession need not necessarily coincide with the maturation of the fixed stars involved.

EDWARD VII (3) November 9, 1841; 10h 48m 30s U.T.

ACRUX rad (35), benefic **		9º Sco 41.2'
		10º Sco 09'
	ORB	28'

AGENA rad (37), benefic **	RA	13h 52m 38s
	RAMC rad	14h 01m 46s

PROCYON rad (25), neutral ** setting 13h 59m 31s (RAMC: OD + 6h)
RAMC rad 14h 01m 46s ORB 2m 15s

All three fixed stars (especially AGENA on RAMC) are significant for Edward VII's. succession to the throne.

GEORGE V (4) June 3, 1865; 0h 55m 57s U.T.

ALHENA rad (20), benefic **		7º Can 13.5'
PARS FORTUNA rad		7º Can 27'
	ORB	13.5'

BETELGEUZE rad (17), neutral ***	26º Gem 52.3'
IC rad	25º Gem 46'
JUPITER rad	25º Sag 40'

As BETELGEUZE is a fixed star of the 1st Order and, besides this, Angular and in opposition to Jupiter, it is more qualified for a succession than ALHENA, although its conjunction with PARS FORTUNA is of some significance.

PRINCE WILLIAM (9) June 21, 1982; 20h 02m 08s U.T.(provisional rect.)

ARCTURUS rad (34), benefic ***	23º 59' 21"	Libra
PLUTO rad	24º 10'	Libra
DIRAH rad (19) benefic *	5º 03' 24"	Cancer
MOON rad (angular)	4º 58'	Cancer

AGENA rad (37), benefic **	RA	14h 02m 35s
	RAMC rad	14h 00m 12s
	ORB	2m 23s

The shape of Prince William's Radix and the two fixed-star combinations speak for a succession to the throne.

ALGOL rad (8), malefic ***	25º 55' 23"	Taurus
VENUS rad	25º 40'	Taurus

(See: ALGOL conjunct VENUS, Charts 5 and 16)

BETELGEUZE rad (17), neutral ***	28º 30' 35"	Gemini
DESCENDANT rad	27º 18'	Gemini

This could be another indication for fame.

JOHN F. KENNEDY (10) May 29, 1917; 19h 51m 25m U.T.

CAPULUS rad, malefic (not in the catalogue)	23º 02' 55"	Taurus
JUPITER rad	23º 02' 44"	Taurus
URANUS rad	23º 42' 59"	Aquarius
JUPITER precessed at JFK's assassination	23º 41' 41"	Taurus

Here URANUS rad in a square to the almost exact conjunction of JUPITER and CAPULUS symbolized the event. (See: Primary Direction for JFK's assassination : ASC d square URANUS)

ELIZABETH II (7) April 21, 1926 ; 1h 12m 48s U.T.

SIRIUS rad (21), benefic ***	13º 04' 04" Cancer
DESCENDANT rad	13º 23' Cancer

Again a benefic star of the first order as a prospect for the reign of a monarch.

The marriage of Queen Elizabeth II is very impressively symbolized by SIRIUS which, progressed to the date in question, November, 1947, comes to the closest possible conjunction with the DESCENDANT.

SIRIUS (precessed)	13º 21' 52" Cancer
DESCENDANT rad	13º 23' Cancer

PRINCE CHARLES (8) November 14, 1948; 21h 13m 37s U.T.

SIRIUS rad (21), benefic ***	13º 22' 37" Cancer
PARS FORTUNA rad	13º 21' Cancer

This conjunction has very much a predictive value, as it is a mundane and supernatural combination for a succession to the throne.

AGENA rad (37), benefic ***	23º 04' 54" Scorpio
SUN rad	22º 25' 21" Scorpio
47 years and 5 months = April, 1996	39' 33" (Orb)

RONALD REAGAN (12) February 6, 1911 ; 7h 44m 06s U.T.

FOMALHAUT rad (47), benefic *** 2º 36'30" Pisces
VENUS rad 3º 31' 21" Pisces

ZOSMA rad (30) benefic 10º Virgo 04'
MC rad 10º Virgo 01'

RIGEL rad (12), benefic *** setting 10h 40m 27s (OD + 6h)
RAMC rad 10h 46m 12s
ORB 5m 45s

These three fixed stars may have contributed to Ronald Reagan's rise.

ALGOL rad (8), malefic *** 24º 55' 44" Taurus
DESCENDANT rad 25º 49.5' Taurus

ALBERT EINSTEIN (15) March 4, 1879; 10h 45m 45s

SIRIUS rad (21), benefic *** 12º 25' Cancer
ASCENDANT rad 11º 35' Cancer

FOMALHAUT (47), benefic *** RA 22h 50m 59s
RAMC rad 22h 56m 28s
Orb 5m 29s

Both fixed stars are characteristic for success, honours and fame

POLLUX rad (24), malefic ***		22º 04' 34" Cancer
SUN progr. (Second. Dir. with BIJA*)		22º 05' 40" Cancer
for assassination, November 22, 1963	ORB	1' 06"

Here the Secondary Progressed SUN, applying the BIJA*, gives a much closer result than the traditional method.
*(For BIJA, see: Prediction, Using Common and Prenatal Cycles, page 47).

POLLUX rad as above 22º 04' 34" Cancer, conjunct MC rad 21º 44' Cancer
MC rad precessed 22º 05' is close to August 2, 1943, when JFK was severly wounded and his warship destroyed.

ALDEBARAN rad (11), neutral ***	8º 38' 05" Gemini
SUN rad	7º 50' Gemini

SUN on the ALDEBARAN/ANTARES axis promises rise, fame and honours. However, as both fixed stars have a strongly aggressive character, JFK's unfortunate destiny may also be associated with it.

PROCYON (25), neutral **	RA	7h 34m 59s
	RAMC rad	7h 33m 56s
	ORB	1m 03s

RICHARD NIXON (11) January 10, 1913; 5h 10m 52s U.T.

FOMALHAUT rad (47), benefic ***		2º 38' 06" Pisces
VENUS rad		3º 27' 58" Pisces
Re-elected President 1972	ORB	49' 52" = 59 years

ALDEBARAN (11), neutral ***	RA	4h 30m 56s
	RAMC rad	4h 36m 16s
	ORB	5m 20s

Already the unprecessed radical positions of these conjunctions are characteristic for Nixon's two presidential terms.

GENERAL DE GAULLE (rectified,not reproduced)
(Military leader and former President of France. Died in 1970).
November 22, 1890; 3h 19m 22s U.T.; 3º E 04' ; 50º N 39'

PROCYON (25), neutral **	RA	7h 33m 36s
	RAMC rad	7h 35m 52s
	ORB	2m 16s

Successful in a military and political career.

MAHATMA GANDHI (rectified, not reproduced)
(Leader of the movement for independence in India. Assassinated in 1948).
October 2, 1869; 2h 34m 26s U.T.; 69º E 36' ; 21º N 38'

POLLUX rad (24), malefic ***	21º 25' 09"	Cancer
URANUS rad	21º 41' 26"	Cancer

A typical conjunction for a sudden, violent death and for fame, as near an Angle (MC).

NORTH SCALE rad (36), neutral *	17º 33' 16"	Scorpio
MARS rad	18º 24' 01"	Scorpio
VENUS rad	18º 26'04"	Scorpio
PLUTO rad	17º 39'	Taurus

MARS conjunct N. Scale maturing in June, 1930
May 4, 1930 - January 1931 ' in gaol '

THEODORE ROOSEVELT (rectified, not reproduced)
(U.S. President 1901 - 1909 Died 1919)
October 28, 1858 ; 0h 50m 33s U.T.; 73º W 57' ; 40º N 45'

FOMALHAUT rad (47), benefic ***	1º 52' 18"	Pisces
MC rad	2º 48.5'	Pisces

As demonstrated above, beneficial fixed stars conjunct MC (IC) or RAMC (RAIC) activate rise and fame.

BENITO MUSSOLINI (14) July 29, 1883; 13h 17m 54s U.T.
(Fascist Dictator of Italy and ally of Hitler during the Second World War; killed by partisans on 28th April, 1945)

ALDEBARAN (11), neutral ***	8º 10'	Gemini
ANTARES rad (40) malefic ***	8º 08'	Sagittarius
MOON rad	9º 15.5'	Gemini
SATURN rad	7º 34' 06"	Gemini

ALDEBARAN conjunct MOON, by tradition means success and fame but danger of a violent death. If with SATURN, the native is liable to be hanged or killed by a sword thrust.

MUSSOLINI was killed and later hanged in Milano after he had tried to escape to Switzerland in April, 1945.

The axis ALDEBARAN/ANTARES is overactive and (especially with MARS), aggressive.

With JUPITER it can be found in the Radices of successful sportsmen.

DENEBOLA (31), malefic *		20º 00' 06"	Virgo
URANUS		20º 52' 18"	Virgo
MATURATION of Conjunction	1946, March	52' 12"	
Killed	1945, April	51'31"	
	ORB	41"	

RIGEL (12), benefic ** setting 10h 36m 03s (RAMC of setting OD + 6h)

RAMC rad 10h 30m 30s

ORB 5m 33s

RIGEL on MC : rise and fame

NORTH ASELLUS rad (26), malefic	6º 24' 54" Leo
NEPTUNE	6º 32'13" Leo
8 years 9 months = January , 1928	7' 19"

June 1928, nearly died, as angina instead of diphtheria had been diagnosed. NEPTUNE characterizes the wrong diagnosis as well as the type of illness. In Medical Astrology diphtheria should be symbolized by MARS/NEPTUNE = INFECTION and VENUS (radical in Taurus) for diphtheria.

ALHENA rad (20), benefic **	7º 58' 42" Cancer
JUPITER	8º 19' 17" Cancer
24 years 7 months	20' 35"

Demobilized from the Eastern front for studies
November 12, 1943 (exact within 2° of arc)

ALPHERATZ rad (2), benefic	13º 11' 09" Aries
MERCURY rad	14º 13' 19" Aries

1° 02

According to tradition Alpheratz supports science and writings.

SIRIUS rad (21), benefic ***	
rising at the place of birth	1h 57m 14s (RAMC for Rising = OA - 6h)
rising at the permanent place of residence :	2h 04m 06s
RAMC birth place	2h 04m 00s
RAMC residence	1h 56m 23s

AGENA rad (37), benefic **	RA (IC)	13h 58m 06s
RAIC residence		13h 56m 23s
RAIC birth place		14h 04m

REGULUS rad (29), neutral *** RA 10h 00m 51s
RAIC rad for Washington 10h 07m 04s

REGULUS on RAMC/RAIC axis if not afflicted : Leadership, successful political career.

SUN trine MC,(Orb 1.5 degrees) supports the significance of FOMALHAUT and REGULUS and gives a good symbolism for Presidency.

CALVIN COOLIDGE (rectified, not reproduced)
(U.S. President 1923 - 1929 . Died 1933)
July 4, 1872; 13h 47m 09s U.T.; 72º W 42' ; 43º N 33'

WEGA rad (43), benefic ** descending 3h 50m 42s (RAMC: OD +6h)
RAMC rad 3h 47m 52s
ORB 2m 50s

FRANKLIN ROOSEVELT (rectified, not reproduced)
(U.S. President 1933 - 1945 . Died 1945).
January 31, 1882; 0h 54m 28s U.T.; 74º W 00' ; 41º N 45'

ALDEBARAN rad (11), neutral *** RA 4h 29m 09s
RAMC rad for Washington 4h 26m 58s
ORB 2m 11s

ALEXANDER MARR (16) April 12, 1919 ; 12h 11m 14s U.T.
Coordinates of Birth place : 8º E 33.1' ; 47º N 22' 57"
Coordinates of permanent residence: 6º E 38' 49" 49º N 45' 14"

ALGOL rad (8), malefic *** 25º 02' 38" Taurus
VENUS rad - 24º 16' 14" Taurus
corresponds to 55 years 4 months = August 18 ,1974 46' 24"
Cancer of the larynx diagnosed: December 19, 1973
corresponds to 54 years 8 months - 45' 50"
ORB 34"

For similar VENUS/ALGOL combinations see: EDWARD VII and PRINCE WILLIAM

RIGEL rad (12), benefic **	16º 03' 41" Gemini
URANUS rad	15º 22' 24" Gemini

This conjunction happens to be on the 11th Cusp (House of friends and supporters). Together with the Sign GEMINI and URANUS this may be associated with the United States of America.

CASTOR rad (23), neutral**	19º 28' 06" Cancer
SUN rad	19º 30' 42" Cancer

The Blockade of West Berlin, which was the first probation for the City, shows the maturation of CASTOR conjunct SUN within 8" of arc :

CASTOR precessed	19º 30' 34" (June 22, 1948)
SUN rad	19º 30' 42"

This conjunction symbolizes activity, although the SUN is on the 12th Cusp (ennemies, deception).

The above analysis of 20 nativities and the Radix of West Berlin produced an overwhelming number of prominent fixed stars (*** and **) in conjunction with radical factors.

Here are the frequencies and proportions of the classified stars :

55 fixed-star conjunctions in 21 horoscopes.
Of these 55 conjunctions, 45 involve prominent fixed stars (*** and **) which, as Table A shows, are only 22 in number.
Besides this we have only 10 conjunctions with other main fixed stars (* and unclassified ones). These outnumber the prominent ones by 28 : 22 . This is obviously a proof for the high frequency of the prominent stars.

FIXED STARS IN MUNDANE ASTROLOGY

Fixed stars have the same effectiveness in mundane astrology as in the demonstrated horoscopes of V.I.P.'s. Unfortunately only very few horoscopes of states exist that have satisfactory authenticated birth times. An example is the rectified horoscope of WEST BERLIN.


According to U.S. files, West Berlin was handed over to United States authorities by the Russians on July 12, 1945, at 6h U.T. The writer, who used to live in Berlin until 1955, has carefully recorded the dates of all the eventful years and produced a reliable rectification which gave:
5h 57m 59s U.T., published in the ' sixties ' in German and English journals.

As in most rectified horoscopes of V.I.P.'s (individuals), the Radix of West Berlin (Chart BLN) shows a remarkable number of effective prominent fixed stars which have no doubt supported the City in a most benefic manner. A glance at the Horoscope shows many afflictions such as: MARS (Taurus,detriment) in close square to the Ascendant and the MOON. While JUPITER in Virgo and at a weak point of the Chart, i.e. in the middle of the 2nd House, is not of much help either. These main characteristics and the permanent threat of Soviet Russia encouraged astrologers to predict a very short life for West Berlin.

However, they all have been mistaken. Especially in the horoscopes of states and politicians, the presence of prominent fixed stars in conjunction mainly with Angles, Sun and Moon produce Fate in the pure sense. The Radix of West Berlin is one of the examples where benevolent fixed stars have activated this critical but extrovert and vital Chart. (All planets on the East side of the Horoscope).

Close conjunctions of fixed stars with main characteristic factors in the Radix of WEST BERLIN:

SIRIUS rad (21), benefic ***	rising	2h 14m 42s (OA - 6h)
	RAMC rad	2h 10m 12s
	ORB	4m 30s



RADIX WEST BERLIN (rectified)
July 12, 1945 ; 5h 57m 59s U.T.

Here is a list of stars which took the lead in the analysis :

ALGOL (8) ***	1st magnitude	5 cases
AGENA (37) ***	" "	5 "
SIRIUS (21) ***	" "	5 "
ALDEBARAN (11) ***	" "	4 "
FOMALHAUT (47) ***	" "	4 "
BETELGEUZE (3) ***	" "	3 "
PROCYON (25) **	" "	3 "

It has been found that the effectiveness of these brilliant stars of 1st magnitude does not depend on their relation to the Ecliptic, as those with high latitudes are of the same efficacy as stars near the Ecliptic. It appears to be different with the main stars of 3rd magnitude. Here stars with almost no latitude, i.e. on the Ecliptic, appear more frequently and with much stronger effect than those whose positions are very remote from the Tropical Zodiac (Ecliptic).

HOW EXACT MUST WE BE ?

The rectification of a birth chart has always been a major problem for serious astrologers. Published horoscopes in today's textbooks and journals clearly indicate that: no general progress has been achieved in this matter, with very few exceptions.

These failures have two main causes :

1. Fictional astrological methods have been used. (See chapter above)

2. Coincidence, probably the most important factor in the development of astrological research, has itself become the main obstacle against improved methods of rectification.

In chemistry, physics and most other sciences provable results may be achieved with impressive experiments and public demonstrations. Things are, however, very different in astrology. Only statistical proofs which demonstrate the high probability of a meaningful astrological coincidence occuring (the appropriate event coinciding with the appropriate astrological predicting factor) are valid if we are to prove the effectiveness of astrology and obtain for it the recognition it so richly deserves. We have to be able to demonstrate that the results we obtain could not have occured simply by chance.

In all applications of astrology that are based on solid astronomical grounds, it is strongly recommended that calculations should be made correct to a minute of arc and a second in time. Whole degrees and whole minutes in time should, of course, be used for simplified cycle calculations, and for those charts for which the birth time has not yet been fully authenticated. These exceptions apart, the rectifying astrologer's calculattions should necessarily be as accurate and as tight as is possible.

Let us see why such exact measurement is necessary.

Although the full circle of the Zodiac contains 21.600 minutes of arc (360º x 60'), astrologers are frequently tempted to overload this area with far too many Ecliptic points. Those who use combinations of three planets such as ' Sun + Mars - Uranus ', are the main culprits.

A simple test with the orbs of aspects produced by Primary Directions and applied to the Radix will demonstrate just how fast the seemingly large area of 21.600 arc minutes can be exhausted and how soon meaningful coincidence becomes indistinguishable from simple chance.

PLANETS AND CUSPS DIRECTED TO RADICAL FIXED STARS

The predictional value of these fixed-star conjunctions in the Primary Directional system is limited, because they can only be regarded as a support of characteristic angular and planetary Directions. Nevertheless careful analyses of these frequently appearing fixed-star Directions, helped to establish their character, importance and frequency. Here, as the result of precise radical figures, a maximum orb of 1° of arc is found to be valid. Due mainly to inaccuracies of the coordinates and some times of the rectified RAMC , the orb may be extended to 3° of arc.

In view of their frequency and efficacy, and to limit the number of fictions, only prominent fixed stars of the first and second order(*** and **) should be used. I advise the reader to use only direct and converse radical factors to Ecliptical positions of the fixed stars. Here too only conjunctions are effective. The Directing of fixed stars to radical factors (Speculum: OA; OD; Pole) is still a matter of careful research. The writer achieved some good results in his own Radix and in the Radices of relatives and friends, when directing prominent fixed stars to other radical factors in the Primary Directional system. Successful research in this subject presupposes the accurate recording of events.

EXAMPLE : RADIX ADOLF HITLER (Prediction II, Chart 13)
EVENT: Beginning of World War II, September 1, 1939
Main Primary Direction : PARS FORTUNA c conjunct MARS rad (Orb 2°)

PLUTO d conjunct CANOPUS (neutral;**) exact
SUN d conjunct ALDEBARAN (neutral;***) 4°
(SUN d opposite ANTARES (malefic;***) 2.5°)
XI d conjunct ARCTURUS (benefic;***) exact

In general, true Directions, *using the correct symbolism* of the astrological factors involved, should not exceed an orb of four minutes of arc. The theoretical orb is 2.5' of arc (See Prediction II). In practice, depending on the appropriateness of the factors involved and the exactness of the coordinates, the aspectual orbs may become larger.

The maximum admissible orb of up to 4 ' of arc, in theory and practice, results in an admissible average orb of two minutes of arc.

Needless to say, for the experienced astrologer the odds against chance coincidence are substantially increased if the accepted Directions are limited solely to those planets and House cusps whose symbolism fits the specific event.

A correct statistical test of the validity of Primary Directions can only be performed by a skillful and experienced statistician, taking into consideration all appearing directions without paying regard to the character of the event and to the appropriate symbolism of the planets. (Accumulations of Directions - odds against chance).

As the proportional division of the 21.600 ' of arc clearly shows, the introduction of additional factors into any Directional system will diminish any chance of obtaining valid results.

In recent years I have met a few astrologers who, although not quite mastering the subject ,are on the right way to become experienced astrologers in this field. On the other hand, as my subsequent checking clearly showed, I met others who obtained incorrect results throughout.

Invariably the reason for these failures was not the use of too large an orb for the Directions, but was either :

1. A too generous application of symbolism to planets, Angles or House Cusps ; or

2. A too extended application of aspects : using such as 15º, 75º, 105º and 165º aspects, Directing House cusps to aspects with other(radical) House Cusps, etc.

3. The most frequent error however was the fact that these unexperienced astrologers did not realize that Angular and cusp Directions should reflect the events in an adequate proportion(sufficient in number) . This latter is an undoubted proof for any rectification with Primary Directions in the Topocentric System, provided that a sufficient number of events is available.

When we consider an aspect by Direction, we must recognize the possibility of it occurring from either of two directions, clockwise or anticlockwise, hence the basic factor for our analysis of aspectual orbs shrinks from 21.600' to 10.800 ' of arc (21.600/2). We can therefore say that the Direction of one planet to its conjunction with a single radical planet, within an orb of 1' of arc, has a theoretical coincidence factor of : 1 / 10.800 . In other words, where there just one radical and only one directed factor existing in the Zodiac, an event that coincided with such a tight conjunction of these two bodies would provide odds of 10.800 to 1 in our favour that the coincidence was not just a chance happening.

Such odds may seem quite encouraging to the researcher, but let us now apply this theoretical probability to the real world in which we operate. As the following proportions clearly show, in reality the coincidence factor with which we actually must work diminishes far too quickly.

1 planet	conjunct	1 planet	: odds are	10.800 / 1	, as noted ;
2 planets	"	1 planet	: "	5.400 / 1;	
10 "	"	1 "	: "	1.080 / 1;	
10 "	"	10 planets	: "	108 / 1	

Now let us also take the sixteen traditional aspects into consideration : the conjunction and opposition, two squares, two trines, two sextiles, two semisquares,two sesquiquadrates, two semisextiles and the two quincunx'.

These sixteen aspect points further reduce our coincidence factor down to 108 / 16 or 6,75 to 1. Expressed differently, if one directs ten bodies to ten natal bodies and uses the sixteen above stated aspects, there is likely to result at least one exact directional aspect within an orb of 6.75 minutes of arc, simply due to chance alone. If we include the converse Directions this figure will even be reduced to 3.4 ' of arc (6.75 / 2).

Apply the same logic for the twelve house cusps directed to the ten natal planets. The coincidence factor is 7.5 to one, converses included even 3.8 to one (7.5 / 2). Naturally we obtain the same result if, vice versa, we direct the ten planets to the twelve radical House cusps.

The coincidence factors given above are necessarily approximations. We do not usually direct a planet to its own position, e.g. Mars to Mars . But on the other hand we have not taken the Part of Fortune and the Mean Lunar Node into consideration, and both of these points are extremely important factors in the Radix and in Directions.

The use of individualistic points such as MC and ASC with small orbs is not impressive either, as so far I have not found any Radices which had been satisfactorily rectified. (This is in Uranian textbooks and journals).

b) The computer showed that the accumulations of structures in Radices cannot be properly controlled as they are continuously overlapping.

An error in logic also appears when we notice that Uranian astrologers concentrate only on those combinations which they happen to need for the characteristics of the event. What happens with the other 5000 combinations at any time in any Radix for any event ?

In contrast with this the reader is reminded that in traditional astrology, for logical reasons, we examine all traditional aspects to the Radix that appear in transits as well as in Directions.

The writer also noticed a great deal of false symbolism in one of the leading textbooks on Uranian Astrology. -'Regelwerk für Planetenbilder' = ' Rules for Planetary Structures

It takes too much space to enumerate all the wrong symbolism and other obviously fictional assumptions in this book: Here is one example :

MOON plus MARS is symbolized as :

' The workings of the brain; the beloved woman; the energetic woman; working hours ' .

However, my criticism is not, as it seems, only against the Uranian System. The same abuse and misuse of astrological factors also appears in other systems. Here the abuse of midpoints dominates. Traditional methods, if not handled properly, give no better results either, as wrong application of astrological symbolism frequently occurs.

The fundamental problem in astrology (the real starting point) has been solved in theory and practice by RECTIFICATION , but it lacks a sufficient number of talented and experienced astrologers.

FICTIONS IN ASTROLOGY

The Directional systems which follow have been analyzed by the writer in the seventies with the aid of a large IBM computer. About 200 events have been computed with thousands of midpoints and triple combinations. This was done with much generosity towards orbs and symbolism of the planets.

The following may be regarded as fictions in Astrology:

1. The Solar-arc in the Ecliptic, also called the Symbolic Arc.

2. The Uranian System using hypothetical Trans-Neptunian points on or near the Ecliptic, in connection with No. 1 and also in the Transit System.

3. The excessive, uncontrolled use of midpoints in Directions and transits.

The methods in No. 2 vary slightly, however, about 5430 triple combinations were noticed, which, if used only in conjunctions, give the following proportions on the Zodiac:

360 x 60 = 21600 ' of arc, divided by 5430 = 4' approximately,
i.e. there are 5430 points on the Zodiac (whole circle) with orbs of plus/minus 2'of arc (average).

These figures may be extended ' ad absurdum ' if this technique is reduced to a 90 -, 45 - or 22.5 wheel measurement.

No wonder that whatever technique is applied, up to 15 and more midpoint combinations can be produced at any time for any event in any Radix with ' small orbs ' and a more or less satisfying symbolism.

Followers of this Uranian System maintain that their results are controlled by so-called planetary structures which, as they claim, appear in the Radix as accumulations. The writer has analyzed these planetary structures (accumulations) and found that they are:

a) Not individualistic, as in the overwhelming number of cases, they are connected with either slow planets or even much more slowly moving hypothetical points which are almost the same in the Radices of individuals born within time periods of days up to months.

Considering the amount of fictional productions in astrology found in textbooks, articles in journals and teachings of inexperienced astrologers, compared with the relatively small number of talented and experienced astrologers, there might be a long way for astrology to go before it is recognized and established the way it was centuries ago (this in relation to the general development of sciences in those times and nowadays). There is no doubt that astrology can be brought to perfection in the same way as has happened to other branches of science.

Further developments in astrology might also one day start to decisively influence philosophy and also religion. Other matters which are still considered as magic, belief, etc., may one day be acknowledged or rejected by modern observation methods and statistics.

The writer is sure that all those things that are still unknown, will one day be successfully analyzed. This is not a matter of fantasy or belief but corresponds to the fantastic and (centuries ago) unforeseen development of all sciences, many of which had been brought to the utmost degree of perfection humanly possible. For such a development of astrology to occur, however, we need more people who have a scientific mind, do not regard astrology as a belief system, and show perseverance and a realistic approach to the matter.

THOMAS A. EDISON, one of the greatest inventors of our times who was once asked how he managed to invent hundreds of things with,as it seemed, little effort, answered: ' You are mistaken, all my inventions are based on 99 per cent perspiration and 1 per cent inspiration .

CONCLUDING REMARKS

Advanced research in astrology demonstrated in Prediction II and in this book, has undoubtedly revealed that astrology practised in a serious and reasonable way is based on scientific grounds. Astrological efficacy, as appearing in Topocentric Primary Directions and in the Meridian Distances measured in Oblique Ascension and Descension (also used as Ascensional Transits), is apparent enough to be statistically evaluated.

The writer has studied the main principles of statistics and found that, although a more simplified statistical application gives very impressive results, a faultless statistical demonstration needs a fully-qualified statistician with much experience. That is to say, even very skilful statistical analyses have aroused criticism and rejection. This because of unimportant errors which do not change the actual result of the analysis.

Besides such a statistical approach to matters of astrology, it is also necessary to have a neutral board of scientists, who may give the experienced astrologer certain tasks and problems to be solved.

One of the acid proofs for the full scientific value of an approved astrological system are MDO's (Prediction II). These prove that in an overwhelming number of cases, relatives in direct line (grand-parents, parents, children) have identical Meridian Distances in OA and OD, the latter appearing mostly in conjunctions and to a lesser extent in oppositions and Antiscions.

In Prediction II a list shows that all English Monarchs from Queen Victoria continuously to Queen Elizabeth II have these identical MDO's in their Radices.

Needless to say, these Horoscopes have been properly rectified as the demonstrated events and Directions show.

The same scientific validity can also be found in Ascensional Transits and Primary Directions (Prediction II), particularly in the DUAL-TEST (Primary Directions of the Radix and the Prenatal Epoch(Conception-Horoscope)described in this book). Here again I remind the reader of those mostly non-astronomical systems which ignore the natural rules of coincidence and which, in practice, achieve just an opposite, i.e. more or less meaningless results which will fit in any existing or non-existing birth chart for any event and any date. (See under ' Fictions in Astrology ' in this book).

APPENDICES

- EDWARD KENNEDY -

Events - Primary- and Secondary Directions

1. OPERATION (Tonsillea) — October 3, 1938

XII c	45	SA	ex	R - R**	VE p	180	AS	6'	E - E**		
MA c	150	JU	3'	R - E**	(VE p. 24º Tau 20' conj. ALGOL)						
AS d	60	SA	5'	E - R**	XII p	120	MA	4'	R - E**		
UR c	0º	VE	3'	E - R**	MA p	150	SA	ex	E - R**		
VE p	90	PL	1'	R - R**	XII re	120	MA	4'	E - R**		
SU re	45	AS	6'	R - R*	XII re	45	SA	6'	R - R**		

2. BROTHER DIED (Plane crash) — August 12, 1944

UR c	45	ME	2'	R - E**	PL c	120	MC	3'	E - R*		
IC d	60	PL	1'	R - E*	III d	90	VE	ex	E - E**		
DS d	45	PL	2'	E - E*	III p	90	PL	7'	R - R**		
NE p	180	MO	4'	R - R	III re	45	NE	6'	E - E**		

3. SISTER DIED (Plane crash) — May 13, 1948

IC c	90	PL	2'	R - R**	SA p	0º	III	1'	R - E**		
PL d	90	IC	4'	E - R**	IC re	90	PL	2'	R - R*		
XII c	90	NE	ex	R - R	VE re	45	IC	4'	R - R**		
VIIId	180	MO	4'	E - E**	MA re	90	ME	5'	E - E		

4. ENLISTED IN ARMY — June 15, 1951

MA c	45	XII	2'	R - R**	MA p	0º	NE	1'	E - R**		
MC d	90	MA	1'	R - E**	MO p	60	PL	2'	R - R		
MC c	90	ME	6'	E - E*	MC p	45	JU	3'	E - R		

5. MARRIAGE — November 29, 1959

VE c	0º	IC	3'	R - E**	AS p	120	SU	1'	R - E*		
SU d	120	MO	4'	E - R**	AS re	120	JU	1'	R - R**		
AS c	120	SU	2'	E - R*	DS p	120	AN	5'	R - E**		
JU c	30	DS	ex	E - E**	JU re	60	VE	3'	E - E**		

SU p 60 V 6' R - R**

6. SHAKEN IN DEBATE — September 1, 1962

III c	0'	ME	4'	R - R**	MO p	90	SA	6'(3d)	R - E*		
MO c	180	III	2'	R - E**	NE p	150	III	2'	R - R**		
UR c	90	SU	2'	E - E	AS p	150	PL	2'	E - R*		
MC d	90	NE	4'	R - R*	MO re	180	ME	4'	E - E**		
AS d	90	ME	ex	R - E**	SU p	150	NE	3'	R - E		

The Dual Test

demonstrated on the radices of:

Edward Kennedy and ***Juan G. Peron***

with Primary- and Secondary Directions in the Topocentric System.

(See ' Dual -Test Rectification ' , page 52)

Symbols and Abbreviations

House Cusps and Planets of the Radix directed to Factors of the Radix
R - R

Radical factors to factors of the Prenatal Epoch
R - E

Factors of the Epoch to factors of the Epoch
E - E

Factors of the Epoch to factors of the Radix
E - R

For Primary directions : d = direct ; **c** = converse
(Using the Naibod key 59' 08.33" per year See PREDICTION II, page 111-118)

For Secondary Directions: p = progressed ; **re** = regressed
(Using the Solar Arc in Right-Ascension for House-Directions.
See PREDICTION II, page 53 -59)

ASPECTS: 0º = Conjunction ; **180** = Opposition ; **90** = Square ; **120** = Trine;
60 = Sextile ; **45** = Semisquare; **135** = Sesquiquadrate ;
150 = Quincunx; **30** = Semisextile;

SU = SUN	**UR** = URANUS
MO = MOON	**NE** = NEPTUNE
ME = MERCURY	**PL** = PLUTO
VE = VENUS	**AN** = ASCENDING NODE
MA = MARS	**DN** = DESCENDING NODE
JU = JUPITER	**MC** = MEDIUM COELI
SA = SATURN	**AS** = ASCENDANT
	DS = DESCENDANT

The Orbs are given in minutes of arc (round figures).
ex = exact; under 1' of arc.

- JUAN G. PERON -
Events - Primary- and Secondary Directions

1. DEATH OF FATHER — November 10, 1928

MC c	90	SU	2'	R - R**		VIII re	45	MA	4'	E - E**	
MC d	90	SU	4'	E - E**		SU p	150	VIII	4'	E - E**	
SU d	0º	IC	2'	E - R**		MA p	0º	PF	8'	E - E**	
VIII c	135	SA	7'	E - E**		MO p.	90	PL	7'(4d)	E - R*	
SU re	90	PL	5'	R - R**		ME p	90	PL	6'	E - E*	
ME d	180	PL	2'	R - R*		UR p	180	PF	1'	E - E**	

2. 2nd MARRIAGE — October 22, 1945

VE d	120	IC	6'	R - E**		DS re	60	JU	5'	R - R**	
SU d	120	AN	3'	E - E*		MO re	0º	JU	5' (3d)	E - R**	
IX c	0º	MO	5'	R - E		SU p	120	ME	1'	E - R*	
MO d	120	UR	4'	R - R*		V re	30	AN	1'	E - R**	
						MO p	60	PL	1'	E - E*	

3. ELECTED PRESIDENT — February 24, 1946

MC c	0º	JU	8'	R - E**		ME d	180	JU	5'	R - E*	
MC d	30	ME	ex	R - R**		AN c	60	UR	3'	R - R*	
UR d	60	ME	4'	E - R*		MO p	30	ME	3'	R - R*	
XI p	30	SU	4'	R - R		MA p	30	JU	3'	E - E*	

4. DEATH OF EVITA — July 26, 1952

MA d	0º	DE	1'	E - E**		VE d	0º	UR	2'	R - E**	
V c	90	MA	4'	R - R**		MO c	90	PL	4'	R - R**	
PF c	0º	MO	3'	R - R*		UR p	180	PF	1'	E - E*	
SA p	150	MO	ex	E - R**		UR re	150	V	ex	E - E**	
VII re	180	SA	3'	R - E**		SA re	120	VIII	ex	E - R**	

5. DEATH OF HIS SECRETARY — April 9, 1953

AN d	90	IC	4'	R - R**		DS d	90	UR	6'	E - E**	
MA re	90	VIII	2'	E - E**		UR p	180	PF	ex	E - E**	

6. DEATH OF MOTHER — May 30, 1953

VIII d	90	PL	3'	E - R**		VE d	45	MA	ex	E - E**	
NE d	90	SA	1'	E - R*		AS d	180	PF	2'	R - R	
ME c	0º	UR	2'	E - E		ME d	150	JU	4'	R - R	
VE d	180	PF	3'	R - E		MO p	0º	PF	1'(1d)	E - R**	
VIII p.	90	NE	1'	E - E**		IC p	90	SU	ex	R - E*	

7. BROTHER ASSASSINATED — November 22, 1963

SA	d	0º	MA	5'	E - R**	MO	re	90	III	2'	R - R*
AS	d	150	PL	ex	R - E*	MO	re	90	SA	7'	E - R*
MA	d	150	SU	4'	E - R*	NE	p	150	III	ex	R - R**
DN	d	0º	MC	3'	R - R**	ME	p	90	SA	2'	E - E**

SU re 45 VIII 5' E - E**

8. PLANE CRASH — June (15), 1964

UR	d	0º	ME	1'	E - E**	SU	re	0º	SA	1'	R - R*
NE	d	45	AS	ex	E - E	ME	p	0º	PL	1'	E - R*
AS	d	150	PL	5'	R - R**	IX	re	120	MA	3'	E - E*
SA	c	90	DN	ex	R - R*	UR	re	120	JU	ex	R - R**

(death of relatives or friends?) (lucky escape)

9. BROTHER ASSASSINATED — June 6, 1968

DN	c	0º	NE	5'	E - R**	MA	p	135	III	4'	E - E**
NE	c	45	SU	4'	E - E	SA	re	135	MC	6'	E - E*
MC	c	150	ME	ex	R - R**	SA	p	150	NE	ex	R - E*

XII p 0º SA 4' R - E

10. YOUNG WOMAN DROWNED — July 19, 1969

DS	d	180	MA	8'	R - R**	MC	re	90	SU	1'	R - E* (loss of prestige)
MA	d	135	MO	2'	R - R**	VIII	re	180	MO	3'	E - E**
VIII	d	180	UR	4'	R - R**	IC	p	150	MO	3'	E - E**
MC	c	180	NO	4'	R - R**	MA	re	150	IC	3'	E - E
PL	d	150	VE	1'	R - R**	XII	re	150	UR	1'	R - E

11 FATHER DIED — November 1, 1969

MC	d	90	PL	3'	E - E**	MA	p	180	DN	1'	R - R**
DN	c	45	JU	5'	E - E*	SU	re	45	NE	ex	E - E
JU	d	90	AS	1'	R - R*	MC	p	45	MO	6'	E - R*

PL c 60 JU 7' R - R* (inheritance?)

12 ELECTED SENATOR — November 6, 1962

MO	c	180	III	3'	R - E**	VE	p	0º	PF	5'	E - E**
ME	d	0º	SU	1'	E - E**	SU	re	0º	III	1'	R - E**
MC	re	30	MO	ex	E - R	DS	p	30	JU	5'	E - E*
UR	re	120	JU	2'	R - R*	MO	p	120	II	ex	R - E

IX p 0º MC 3' E - E (effective House conj. with MC-IC)

R-R :

Computation of Fixed Stars

Directions for Use

NATURE : B = benefic ; M = malefic ; N = neutral
VARIATION : per year in decimals of 1' of arc

Interpolation for given dates

Always use the nearest table value as a base (1920, 1950 or 1980)

EXAMPLE A John LENNON; October 9,1940 published in Prediction II
1. Using the Day-Number-Tables (TABLES E)

1950 January 1 **54787**
1940 October 9 **51416**
3371 / 365.24(Trop. year) = **9.23**
9.23 x 0.836 (Variation Algol) = **7' 43"**

Algol (8) 1950 25º 28' 14" Taurus
- 7' 43"
25º 20' 31" Taurus = Algol, Radix John Lennon

2. Using Interpolation Tables : (m = months ; d = days)

				ADD TO THE FINAL RESULT	
1m =	0.083	7m =	0.583	8d =	1"
2m =	0.167	8m =	0.667	16d =	2"
3m =	0.25	9m =	0.75	23d =	3"
4m =	0.333	10m =	0.833	31d =	4"
5m =	0.417	11m =	0.917		
6m =	0.5	12m =	1(year)		

1950 01 01 9 + 0.167 = 9.167 x 0.836 = 7' 40" + 3"(for 22d)
1940 10 09
- 9y 2m 22d = - 7' 43"

For years before 1920 subtract ; for years after 1980 add

1920 01 01 **43829**
1819 05 05 **07083** (Radix Queen Victoria)
minus **36746** / 365.24 = **minus 100.61**

R-R

PF ☌ ☉

ASC ☍ PF

7. DEATH OF BROTHER January 17, 1955

MA d	45	SA	3'	R - R**	XII c	90	ME	1'	R - R*
ME c	150	MO	5'	R - R*	MA re	90	III	2'	E - R*
MA c	90	UR	5'	E - R**	VIII re	0º	MA	7'	R - E**
MO p	150	III	2'	E - E	NE p	150	ME	ex	E - E

8. REVOLUTION(He left the country) September 16, 1955

III d	90	NE	6'	R - R**	SU c	0º	UR	5'	E - E**
III d	180	VE	4'	R - R**	JU c	90	AN	5'	R - R**
III d	120	UR	2'	R - R**	(III p)	120	UR	4'	R - R**
NE c	90	JU	3'	E - E**	UR p	180	PF	2'	E - E**
					MA re	90	III	4'	E - R**

9. 3rd MARRIAGE November 15, 1961

DS d	0º	JU	1'	R - R**	VE c	30	JU	ex	R - R**
MC c	120	SU	3'	R - R*	SU c	0º	MO	6'	E - E**
MC c	0º	MO	6'	E - E**	MO c	120	JU	3'	E - E**
ASC p	120	MO	5'	R - R*	MO re	60	V	ex	R - R**

10. FIRST RETURN TO ARGENTINA November 14, 1972

(unfortunate,had to leave again soon after his arrival; ennemies; intrigues of authorities)

ME d	0º	III	3'	R - R**	XII d	90	SU	3'	R - R**
ME d	180	IX	3'	R - R**	SA d	135	PL	1'	R - E*
MO c	0º	IX	4'	R - E**	SU d	150	MO	ex	R - R**
AS c	45	ME	3'	E - R*	AN p	90	MO	ex	R - R*
					UR re	90	III(IX)	2'	E - E**

11. FINAL RETURN (successful) June 20, 1973

AS d	120	JU	1'	R - R**	AN d	0º	DS	ex	R - R
SU p	60	MO	4'	E - R**	SU p	120	MA	3'	R - E
SU p	120	AS	2'	E - R	VE re	30	IX	1'	R - E
AS re	30	SU	3'	E - R**	MC p	120	AN	ex	R - R*

12. WIN IN ELECTIONS September 23, 1973

III d	120	JU	2'	R - R**	VE c	120	AN	3'	E - R*
VE d	120	AS	6'	E - R**	AS p	30	SU	6'	R - E*
III re	60	VE	ex	E - E	ME re	60	III	ex	E - R**

13. DEATH July 1, 1974

PF d	0º	SU	4'	R - R++	MO d	150	IC	3'	R - E*
UR c	90	MA	4'	R - E**	SU re	0º	PF	3'	R - R++
MO re	90	SU	ex	E - R**	DN p	90	AS	1'	R - R*

**(Old-aged people often die with an ANGLE conjunct or square SUN. In our case it is the PART of FORTUNE which appears twice in conjunction with the SUN)

☽ p ☌ ♀ ☍ ♄ p Ex E - E

Example C : Precessing radical planets in Longitude

Radix as above	ALMACH rad	13º 24' 01" Taurus
	SATURN rad	13º 12' 53" Taurus
	difference	11' 08"

a) Precision method with the aid of STAHL's Vernal Point Ephemeris

V. P. Radix Lennon	6º 05' 10" (October 9, 1940)
	- 11' 08
SATURN precessed to ALMACH	5º 54' 02" = November 2, 1953

or :

b) 11' 08" / 50.24 = 13.3 years (average precession per year = 50.24")

Radix (J. Lennon)	1940y 10m 09d
Precession in y/m/d	13y 03m 18d (13.3 years)
Date of maturation	1954 01 27 (Jan. 27, 1954)

As precession varies considerably, using method (b), inaccuracies may be considerable.

Result b)	1954 01 27	
Result a)	1953 11 02	(precision method)
difference	2m25d	The inaccuracy is here as much as 2 months and 25 days.

Example D : Precessing a planet for a given date

Date of event	July 15, 1956	V.P. 5º 51' 43"
Radix	October 9, 1940	V.P. 6º 05' 10"
Precession for all radical factors except fixed stars		plus 13' 27"

As can be seen there are various methods of computation for which, however, a calculator with º, ', " of arc facilities is indispensible.

Example B : Maturation of Fixed Star conjunctions

URANUS rad 25º 33' 06" Taurus (Radix J. Lennon)
ALGOL rad 25º 20' 31" Taurus (computed above)
difference 12' 35" (equals about 15 years in precession)

1956 07 15 Death of mother
1940 10 09 Radix
15y 9m 6d = 15.75 x 0.836 = 13' 10" + 1" = 13' 11"

ALGOL rad	25º 20' 31"
	+ 13' 11"
ALGOL event	25º 33' 42"
URANUS rad	25º 33' 06"
Orb	36"

By experience a maximal orb of 1 year = 50" is suggested. However, in practice due to imperfect planetary positions, larger orbs may be admitted. It is recommended that Astronomical Ephemerides or computer-precision programs are used.

RULE A (example above)
In cases where the planet has a greater radical position than the fixed star, the maturation of their conjunction is produced by the precessed position of the fixed star.

RULE B (example below)
In cases where the planet has a lesser radical position than the fixed star, the maturation of their conjunction is produced by precession of the planet.

Computation

Radix Alexander Marr (16) April 12, 1919 ; RAMC = 2h 04m = 31º 00'
A glance at Table C shows SIRIUS rising at 2h 06m 27s in 1950, 50º of Northern Latitude. An exact answer, however, as to whether SIRIUS is rising in the Radix or not can only be achieved by computing the figures with the aid of Table B.

SIRIUS (21), benefic of first order (***)

1950 01 01 RA	= 6h 42m 56.7s ;	DECL. =	- 16º 38' 47"
1920 01 01 RA	= 6h 41m 37.5s	DECL. =	- 16º 36' 20"
difference in 30y	= 1m 19.2s ;		- 2' 27"

Taking 1920 as the nearest Table value for the birth date we get the difference in years as explained above.

1920 01 01
1919 04 12
- 8m19d = - 0.7205y (Instructions for Table A)

1m 19.2s / 30 x -0.7205 = - 1.9s
- 2' 27 / 30 x -0.7205 = + 3.5" of arc

6h 41m 37.5s
- 1.9s
6h 41m 35.6s
x 15 =
100º 23' 54" in arc

- 16º 36' 20"
+ 3.5"
- 16º 36' 16.5"

Formula for the Ascensional Difference (AD) :

TAN LAT x TAN DECL = SIN AD
TAN 47º 22' 57" x TAN (- 16º 36' 16.5") = SIN - 18º 54' 38"
(North. Lat.)

As the AD is subtractive for risings (OA) and additive for settings (OD) we get : - (- 18º 54' 38") = plus 18º 54' 38"

COMPUTATION OF FIXED STARS IN RA (for RAMC and RAIC)

Example : Radix PRINCE WILLIAM (9) RAMC = 14h 00m 12s = 210º 03'

AGENA (37) RA 1980 14h 02m 24s
RA 1950 14h 00m 16.5s
difference 2m 07.5 / 30 = 4.25s

BIRTH 1982 06 21
1980 01 01 (appropriate year)
2y 5m 20d 2.
5m .4166
20d .0547
2.4713 diff. in decimals
(see instructions for TABLE A)

4.25 x 2.4713 = 10.5s + 14h 02m 24s = 14h 02m 34.5s
RAMC rad = 14h 00m 12s
AGENA conjunct RAMC rad Orb = 2m 22.5s
= **35.5 ' of arc**

RISING AND SETTING OF RADICAL FIXED STARS (Tables B and C)

As for the computation of RAMC (RAIC), TABLE C merely has the task of detecting ascending or descending fixed stars in the horoscopes analyzed. In these tables all values have been referred to the RAMC.

EXAMPLE : In Table C 1950 (January 1) SPICA (33) is rising at 7h 48m 05s (30 N.L.) = 117º 01' in arc.
In fact the actual rising took place at 117º 01' + 90º = 207º 01'.
In other words, the RAMC of a Radix is valid for all figures in the Tables without adding 90º for risings and deducting 90º for settings. This should not be forgotten when, as in the following examples, rising and setting is computed with the aid of Table B .

TABLE A

50 Main Fixed Stars in Longitude

For 1920, 1950 and 1980

(January 1)

100º 23' 54"
+18º 54' 38"
119º 18' 32" SIRIUS rising April 12, 1919, at 47º 22' 57" N. Lat.

-90º (6 hours)
29º 18' 32" ← SIRIUS RAMC for rising 1h 57m 14s
ASC 31º 00' RAMC rad 2h 04m 00s
1º 41' 28" - ORB - 6m 46s

For the computation of the Ascensional Difference please see
'PREDICTION II, Speculum, Rectification.'

Analyzing the same Radix and searching for other risings and settings in Table C, we notice that FOMALHAUT sets at RAMC 2h 01m 58s ; 50º of N. L. This is quite close to our radical RAMC = 2h 04m.
Usind the same interpolation index of -0.7205 years (as above) we get :

FOMALHAUT RA 1950 22h 54m 53.5s DECL -30º 02' 47.5"
RA 1920 22h 53m 14s DECL -29º 53' 16"
1m 39.5s - 9' 31.5"

a) 1m 39.5s / 30 x 0.7205 = 2.4s b) -9' 31.5" / 30 x 0.7205 = - 13.7"

RA 1920 22h 53m 14s - 2.4s = 22h 53m 11.6s
DECL 1920 - 29º 53' 16" - 13.7" = - 29º 53' 02.3"

TAN (- 29º 53' 02.3") x TAN 47º 22' 57" = SIN AD = - 38º 38' 56"
22h 53m 11.6s x 15 = 343º 17' 54"
- 38º 38' 56" (minus with plus = minus, as AD is
304º 38' 58" here additive, setting with an OD)
+ 90º
394º 38' 58"
34º 38' 58" / 15 = 2h 18m 36s FOMALHAUT setting

2h 04m 00s RAMC rad
ORB 14m 36s too large

TABLE A (2)

NR	NAME	NATURE	1920	1950
26	N.ASELLUS*	M	6 Leo 25'25"	6 Leo 50'29"
27	S.ASELLUS*	M	7 Leo 36'14"	8 Leo 01'23"
28	ALPHARD*	N	26 Leo 10'00"	26 Leo 35'01"
29	REGULUS***	N	28 Leo 43'02"	29 Leo 08'03"
30	ZOSMA	B	10 Vir 11'34"	10 Vir 36'50"
31	DENEBOLA*	M	20 Vir 30'26"	20 Vir 55'24"
32	VINDEMATRIX	M	8 Lib 49'34"	9 Lib 14'37"
33	SPICA***	B	22 Lib 43'30"	23 Lib 08'36"
34	ARCTURUS***	B	23 Lib 07'02"	23 Lib 32'08"
35	ACRUX**	B	10 Sco 45'50"	11 Sco 10'42"
36	N.SCALE*	N	18 Sco 15'20"	18 Sco 40'26"
37	AGENA**	B	22 Sco 40'50"	23 Sco 05'50"
38	BUNGULA**	B	28 Sco 28'26"	28 Sco 51'04"
39	GRAFFIAS	M	2 Sag 04'21"	2 Sag 29'29"
40	ANTARES***	M	8 Sag 38'43"	9 Sag 03'51"
41	RASALHAGUE	N	21 Sag 19'38"	21 Sag 44'51"
42	PELAGUS*	B	11 Cap 16'03"	11 Cap 41'12"
43	WEGA**	B	14 Cap 11'40"	14 Cap 36'53"
44	ALTAIR***	N	0 Aqu 39'49"	1 Aqu 04'13"
45	NASHIRA	B	20 Aqu 40'09"	21 Aqu 05'23"
46	SADALSUND	N	22 Aqu 16'43"	22 Aqu 41'49"
47	FOMALHAUT***	B	2 Pis 44'00"	3 Pis 09'21"
48	DENEB AGIDE*	N	4 Pis 13'43"	4 Pis 38'27"
49	ACHERNAR**	B	14 Pis 10'28"	14 Pis 36'04"
50	MARKAB*	N	22 Pis 22'16"	22 Pis 47'20"

1980	VARIATION
7 Leo 15'34"	0.836
8 Leo 26'33"	0.838
27 Leo 00'04"	0.834
29 Leo 33'04"	0.834
11 Vir 02'08"	0.842
21 Vir 20'24"	0.833
9 Lib 39'41"	0.835
23 Lib 33'44"	0.837
23 Lib 57'16"	0.838
11 Sco 35'35"	0.829
19 Sco 05'33"	0.837
23 Sco 30'51"	0.834
29 Sco 13'40"	0.755
2 Sag 54'37"	0.838
9 Sag 28'58"	0.838
22 Sag 10'05"	0.840
12 Cap 06'20"	0.838
15 Cap 02'07"	0.840
1 Aqu 29'37"	0.847
21 Aqu 30'36"	0.841
23 Aqu 06'55"	0.837
3 Pis 34'41"	0.845
5 Pis 03'13"	0.825
15 Pis 01'37"	0.851
23 Pis 12'23"	0.835

NR	NAME	NATURE	1920
1	DIFDA	M	1 Ari 27'42"
2	ALPHERATZ*	B	13 Ari 11'40"
3	BATEN KAITOS	M	20 Ari 49'44"
4	MIRACH*	B	29 Ari 17'22"
5	SHARATAN	M	2 Tau 51'10"
6	HAMAL*	M	6 Tau 32'37"
7	ALMACH	B	13 Tau 06'41"
8	ALGOL***	M	25 Tau 03'09"
9	ALCYONE	M	28 Tau 52'31"
10	PRIMA HYADUM	M	4 Gem 41'09"
11	ALDEBARAN***	N	8 Gem 40'15"
12	RIGEL**	B	15 Gem 42'41"
13	BELLATRIX*	N	19 Gem 49'46"
14	CAPELLA**	N	20 Gem 44'24"
15	EL NATH*	M	21 Gem 27'27"
16	ALNILAM*	N	22 Gem 20'47"
17	BETELGEUZE***	N	27 Gem 38'14"
18	MENKALINAN*	N	28 Gem 47'40"
19	DIRAH*	B	4 Can 11'01"
20	ALHENA**	B	7 Can 59'13"
21	SIRIUS***	B	12 Can 58'46"
22	CANOPUS**	N	13 Can 51'21"
23	CASTOR**	N	19 Can 07'34"
24	POLLUX***	M	22 Can 06'42"
25	PROCYON**	N	24 Can 40'55"

A (1)

1950	1980	VARIATION
1 Ari 52'44"	2 Ari 18'09"	0.845
13 Ari 36'44"	14 Ari 01'47"	0.835
21 Ari 14'57"	21 Ari 40'13"	0.842
29 Ari 42'27"	0 Tau 07'33"	0.836
3 Tau 16'17"	3 Tau 41'26"	0.837
6 Tau 57'47"	7 Tau 22'57"	0.839
13 Tau 31'44"	13 Tau 56'48"	0.836
25 Tau 28'14"	25 Tau 53'19"	0.836
29 Tau 17'38"	29 Tau 42'47"	0.837
5 Gem 06'21"	5 Gem 31'32"	0.840
9 Gem 05'24"	9 Gem 30'35"	0.838
16 Gem 07'50"	16 Gem 33'01"	0.838
20 Gem 14'53"	20 Gem 40'01"	0.837
21 Gem 09'33"	21 Gem 34'42"	0.838
21 Gem 52'35"	22 Gem 17'44"	0.838
22 Gem 45'54"	23 Gem 11'04"	0.838
28 Gem 03'21"	28 Gem 28'30"	0.838
29 Gem 12'46"	29 Gem 37'53"	0.837
4 Can 36'10"	5 Can 01'20"	0.838
8 Can 24'21"	8 Can 49'30"	0.838
13 Can 23'33"	13 Can 48'21"	0.827
14 Can 16'12"	14 Can 41'05"	0.826
19 Can 32'38"	19 Can 57'43"	0.835
22 Can 31'31"	22 Can 56'22"	0.827
25 Can 05'44"	25 Can 30'34"	0.828

TABLES B

Prominent Fixed Stars in RA and Declination

TABLE C

Rising and Setting of Prominent Fixed Stars

TABLE B

PROMINENT FIXED STARS IN RA AND DECLINATION

	1920		1950		1980	
	RA	DECL	RA	DECL	RA	DECL
ACHERNAR(49)	1h34m44.2s	-57° 38' 35"	1h35m51.3s	-57° 29' 25"	1h36m58.2s	-57° 20' 17"
ALGOL(8)	3 02 57.4	+40 38 54	3 04 54.4	+40 45 52	3 06 51.7	+40 52 46
ALDEBARAN(11)	4 31 19.7	+16 20 58	4 33 02.9	+16 24 37	4 34 46.3	+16 28 12
RIGEL(12)	5 10 41.5	- 8 17 35	5 12 08.0	- 8 15 29	5 13 34.6	- 8 13 26
CAPELLA(14)	5 10 46.6	+45 55 05	5 12 59.5	+45 56 58	5 15 12.6	+45 58 45
BETELGEUZE(17)	5 50 50.4	+ 7 23 36	5 52 27.8	+ 7 23 58	5 54 05.3	+ 7 24 16
CANOPUS(22)	6 22 10.5	-52 39 06	6 22 50.5	-52 40 03	6 23 30.5	-52 41 04
SIRIUS(21)	6 41 37.5	-16 36 20	6 42 56.7	-16 38 47	6 44 16.0	-16 41 16
PROCYON(25)	7 35 06.9	+ 5 25 52	7 36 41.1	+ 5 21 17	7 38 15.3	+ 5 16 37
POLLUX(24)	7 40 25.4	+28 13 15	7 42 15.5	+28 08 55	7 44 05.6	+28 04 32
REGULUS(29)	10 04 06.8	+12 21 31	10 05 42.7	+12 12 44	10 07 18.5	+12 03 52
DENEBOLA(31)	11 44 58.8	+15 01 10	11 46 30.6	+14 51 06	11 48 02.4	+14 41 02
ACRUX(35)	12 22 08.5	-62 39 23	12 23 48.3	-62 49 20	12 25 28.5	-62 59 19
SPICA(33)	13 20 58.6	-10 44 39	13 22 33.3	-10 54 03	13 24 08.2	-11 03 27
AGENA(37)	13 58 09.8	-59 59 15	14 00 16.5	-60 07 58	14 02 24.0	-60 16 38
ARCTURUS(34)	14 12 00.7	+19 35 54	14 13 22.7	+19 26 31	14 14 44.9	+19 17 09
ANTARES(40)	16 24 29.9	-26 15 20	16 26 20.3	-26 19 22	16 28 10.7	-26 23 20
WEGA(43)	18 34 13.8	+38 42 30	18 35 14.7	+38 44 10	18 36 15.6	+38 45 51
ALTAIR(44)	19 46 52.8	+ 8 39 22	19 48 20.6	+ 8 44 06	19 49 48.4	+ 8 48 52
FOMALHAUT(47)	22 53 14.0	-30 02 48	22 54 53.5	-29 53 16	22 56 32.8	-29 43 43

TABLE C (2)

PROMINENT FIXED STARS RAMC ; RAIC ; RISING and SETTING

for 01 01 1950

	RAMC	RAIC		30 N.L.	40 N.L.	50 N.L.
ARCTURUS(34)	14h13m23s	02h13m23s	rising	07h26m21s	07h04m28s	06h33m52s
	213° 21'	33° 21'	setting	21h00m25s	21h22m18s	21h52m53s
ANTARES(40)	16 26 20	04 26 20	rising	11 32 43	12 04 27	12 50 51
	246 35	66 35	setting	21 19 57	20 48 14	20 01 50
WEGA(43)	18 35 15	06 35 15	rising	10 44 53	09 46 01	07 43 29
	278 49	98 49	setting	02 25 36	03 24 29	05 27 01
ALTAIR(44)	19 48 21	07 48 21	rising	13 27 59	13 18 43	13 06 08
	297 05	117 05	setting	02 08 42	02 17 58	02 30 33
FOMALHAUT(47)	22 54 54	10 54 54	rising	18 12 25	18 50 14	19 47 49
	343 43	163 43	setting	03 37 22	02 59 33	02 01 58

	RAMC	RAIC		RAMC	RAIC
ACHERNAR(49)	01h35m51s	13h35m51s	CANOPUS(22)	06h22m51s	18h22m51s
	23 58'	203 58'		95 43'	275 43
ALGOL(8)	03 04 54	15 04 54	ACRUX(35)	12 23 48	00 23 48
	46 14	226 14		185 57	005 57
CAPELLA(14)	05 13 00	17 13 00	AGENA(37)	14 00 17	02 00 17
	78 18	258 15		210 04	30 04

TABLE C (1)

PROMINENT FIXED STARS RAMC ; RAIC ; RISING and SETTING

for 01 01 1950

	RAMC	RAIC		30 N.L.	40 N.L.	50 N.L.
ALDEBARAN(11)	04h33m03s	16h33m03s	rising	21h53m53s	21h35m49s	21h10m51s
	68° 16'	248° 16'	setting	11h12m12s	11h30m17s	11h55m14s
RIGEL(12)	05 12 08	17 12 08	rising	23 31 22	23 40 07	23 51 58
	78 02	258 02	setting	10 52 54	10 44 09	10 32 18
BETELGEUZE(17)	05 52 28	17 52 28	rising	23 35 16	23 27 26	23 16 51
	88 07	268 07	setting	12 09 40	12 17 29	12 28 05
SIRIUS(21)	06 42 57	18 42 57	rising	01 22 42	01 41 04	02 06 27
	100 44	280 44	setting	12 03 11	11 44 50	11 19 27
PROCYON(25)	07 36 41	19 36 41	rising	01 24 17	01 18 39	01 11 02
	114 10	294 10	setting	13 49 06	13 54 44	14 02 20
POLLUX(24)	07 42 16	19 42 16	rising	00 30 17	23 55 33	23 03 48
	115 34	295 34	setting	14 54 14	15 28 58	16 20 43
REGULUS(29)	10 05 43	22 05 43	rising	03 37 00	03 23 51	03 05 55
	151 26	331 26	setting	16 34 25	16 47 34	17 05 30
DENEBOLA(31)	11 46 31	23 46 31	rising	05 11 17	04 55 05	04 32 49
	176 38	356 38	setting	18 21 44	18 37 56	19 00 12
SPICA(33)	13 22 33	01 22 33	rising	07 48 05	07 59 45	08 15 38
	200 38	20 38	setting	18 57 01	18 45 21	18 29 29

TABLE E

Day - Numbers
for Prenatal Factors

Table B for Precession *

years	'	years	'	years	º	'	years	º	'
1	= 1'	26	= 22'	51	= 0	43'	76	= 1º	03'
2	2	27	23	52	0	43	77	1	04
3	3	28	23	53	0	44	78	1	05
4	4	29	24	54	0	45	79	1	06
5	4	30	25	55	0	46	80	1	07
6	5	31	26	56	0	47	81	1	08
7	6	32	27	57	0	48	82	1	08
8	7	33	28	58	0	48	83	1	09
9	8	34	28	59	0	49	84	1	10
10	9	35	29	60	0	50	85	1	11
11	9	36	30	61	0	51	86	1	12
12	10	37	31	62	0	52	87	1	13
13	11	38	32	63	0	53	88	1	13
14	12	39	33	64	0	53	89	1	14
15	13	40	33	65	0	54	90	1	15
16	13	41	34	66	0	54	91	1	16
17	14	42	35	67	0	56	92	1	17
18	15	43	36	68	0	57	93	1	18
19	16	44	37	69	0	58	94	1	18
20	17	45	38	70	0	58	95	1	19
21	18	46	38	71	0	59	96	1	20
22	18	47	39	72	1º	00'	97	1	21
23	19	48	40	73	1	01	98	1	22
24	20	49	41	74	1	02	99	1	23
25	21	50	42	75	1	03	100	1	24

*These Tables with a maximal error of 1 ' of arc are not suitable for Sidereal Solar Returns. The writer recommends *Carl Stahl's* SYNETIC VERNAL POINT EPHEMERIS, which are giving results to " of arc.

Year	*Jul*	*Aug*	*Sep*	*Oct*	*Nov*	*Dec*
1800	00181	00212	00243	00273	00304	00334
1801	00546	00577	00608	00638	00669	00699
1802	00911	00942	00973	01003	01034	01064
1803	01276	01307	01338	01368	01399	01429
1804	01642	01673	01704	01734	01765	01795
1805	02007	02038	02069	02099	02130	02160
1806	02372	02403	02434	02464	02495	02525
1807	02737	02768	02799	02829	02860	02890
1808	03103	03134	03165	03195	03226	03256
1809	03468	03499	03530	03560	03591	03621
1810	03833	03864	03895	03925	03956	03986
1811	04198	04229	04260	04290	04321	04351
1812	04564	04595	04626	04656	04687	04717
1813	04929	04960	04991	05021	05052	05082
1814	05294	05325	05356	05386	05417	05447
1815	05659	05690	05721	05751	05782	05812
1816	06025	06056	06087	06117	06148	06178
1817	06390	06421	06452	06482	06513	06543
1818	06755	06786	06817	06847	06878	06908
1819	07120	07151	07182	07212	07243	07273
1820	07486	07517	07548	07578	07609	07639
1821	07851	07882	07913	07943	07974	08004
1822	08216	08247	08278	08308	08339	08369
1823	08581	08612	08643	08673	08704	08734
1824	08947	08978	09009	09039	09070	09100
1825	09312	09343	09374	09404	09435	09465
1826	09677	09708	09739	09769	09800	09830
1827	10042	10073	10104	10134	10165	10195

Year	*Jan*	*Feb*	*Mar*	*Apr*	*May*	*Jun*
1800	00000	00031	00059	00090	00120	00151
1801	00365	00396	00424	00455	00485	00516
1802	00730	00761	00789	00820	00850	00881
1803	01095	01126	01154	01185	01215	01246
1804	01460	01491	01520	01551	01581	01612
1805	01826	01857	01885	01916	01946	01977
1806	02191	02222	02250	02281	02311	02342
1807	02556	02587	02615	02646	02676	02707
1808	02921	02952	02981	03012	03042	03073
1809	03287	03318	03346	03377	03407	03438
1810	03652	03683	03711	03742	03772	03803
1811	04017	04048	04076	04107	04137	04168
1812	04382	04413	04442	04473	04503	04534
1813	04748	04779	04807	04838	04868	04899
1814	05113	05144	05172	05203	05233	05264
1815	05478	05509	05537	05568	05598	05629
1816	05843	05874	05903	05934	05964	05995
1817	06209	06240	06268	06299	06329	06360
1818	06574	06605	06633	06664	06694	06725
1819	06939	06970	06998	07029	07059	07090
1820	07304	07335	07364	07395	07425	07456
1821	07670	07701	07729	07760	07790	07821
1822	08035	08066	08094	08125	08155	08186
1823	08400	08431	08459	08490	08520	08551
1824	08765	08796	08825	08856	08886	08917
1825	09131	09162	09190	09221	09251	09282
1826	09496	09527	09555	09586	09616	09647
1827	09861	09892	09920	09951	09981	10012

Year	*Jul*	*Aug*	*Sep*	*Oct*	*Nov*	*Dec*
1828	10408	10439	10470	10500	10531	10561
1829	10773	10804	10835	10865	10896	10926
1830	11138	11169	11200	11230	11261	11291
1831	11503	11534	11565	11595	11626	11656
1832	11869	11900	11931	11961	11992	12022
1833	12234	12265	12296	12326	12357	12387
1834	12599	12630	12661	12691	12722	12752
1835	12964	12995	13026	13056	13087	13117
1836	13330	13361	13392	13422	13453	13483
1837	13695	13726	13757	13787	13818	13848
1838	14060	14091	14122	14152	14183	14213
1839	14425	14456	14487	14517	14548	14578
1840	14791	14822	14853	14883	14914	14944
1841	15156	15187	15218	15248	15279	15309
1842	15521	15552	15583	15613	15644	15674
1843	15886	15917	15948	15978	16009	16039
1844	16252	16283	16314	16344	16375	16405
1845	16617	16648	16679	16709	16740	16770
1846	16982	17013	17044	17074	17105	17135
1847	17347	17378	17409	17439	17470	17500
1848	17713	17744	17775	17805	17836	17866
1849	18078	18109	18140	18170	18201	18231
1850	18443	18474	18505	18535	18566	18596
1851	18808	18839	18870	18900	18931	18961
1852	19174	19205	19236	19266	19297	19327
1853	19539	19570	19601	19631	19662	19692
1854	19904	19935	19966	19996	20027	20057
1855	20269	20300	20331	20361	20392	20422

Year	*Jan*	*Feb*	*Mar*	*Apr*	*May*	*Jun*
1828	10226	10257	10286	10317	10347	10378
1829	10592	10623	10651	10682	10712	10743
1830	10957	10988	11016	11047	11077	11108
1831	11322	11353	11381	11412	11442	11473
1832	11687	11718	11747	11778	11808	11839
1833	12053	12084	12112	12143	12173	12204
1834	12418	12449	12477	12508	12538	12569
1835	12783	12814	12842	12873	12903	12934
1836	13148	13179	13208	13239	13269	13300
1837	13514	13545	13573	13604	13634	13665
1838	13879	13910	13938	13969	13999	14030
1839	14244	14275	14303	14334	14364	14395
1840	14609	14640	14669	14700	14730	14761
1841	14975	15006	15034	15065	15095	15126
1842	15340	15371	15399	15430	15460	15491
1843	15705	15736	15764	15795	15825	15856
1844	16070	16101	16130	16161	16191	16222
1845	16436	16467	16495	16526	16556	16587
1846	16801	16832	16860	16891	16921	16952
1847	17166	17197	17225	17256	17286	17317
1848	17531	17562	17591	17622	17652	17683
1849	17897	17928	17956	17987	18017	18048
1850	18262	18293	18321	18352	18382	18413
1851	18627	18658	18686	18717	18747	18778
1852	18992	19023	19052	19083	19113	19144
1853	19358	19389	19417	19448	19478	19509
1854	19723	19754	19782	19813	19843	19874
1855	20088	20119	20147	20178	20208	20239

Year	*Jul*	*Aug*	*Sep*	*Oct*	*Nov*	*Dec*
1856	20635	20666	20697	20727	20758	20788
1857	21000	21031	21062	21092	21123	21153
1858	21365	21396	21427	21457	21488	21518
1859	21730	21761	21792	21822	21853	21883
1860	22096	22127	22158	22188	22219	22249
1861	22461	22492	22523	22553	22584	22614
1862	22826	22857	22888	22918	22949	22979
1863	23191	23222	23253	23283	23314	23344
1864	23557	23588	23619	23649	23680	23710
1865	23922	23953	23984	24014	24045	24075
1866	24287	24318	24349	24379	24410	24440
1867	24652	24683	24714	24744	24775	24805
1868	25018	25049	25080	25110	25141	25171
1869	25383	25414	25445	25475	25506	25536
1870	25748	25779	25810	25840	25871	25901
1871	26113	26144	26175	26205	26236	26266
1872	26479	26510	26541	26571	26602	26632
1873	26844	26875	26906	26936	26967	26997
1874	27209	27240	27271	27301	27332	27362
1875	27574	27605	27636	27666	27697	27727
1876	27940	27971	28002	28032	28063	28093
1877	28305	28336	28367	28397	28428	28458
1878	28670	28701	28732	28762	28793	28823
1879	29035	29066	29097	29127	29158	29188
1880	29401	29432	29463	29493	29524	29554
1881	29766	29797	29828	29858	29889	29919
1882	30131	30162	30193	30223	30254	30284
1883	30496	30527	30558	30588	30619	30649

Year	*Jan*	*Feb*	*Mar*	*Apr*	*May*	*Jun*
1856	20453	20484	20513	20544	20574	20605
1857	20819	20850	20878	20909	20939	20970
1858	21184	21215	21243	21274	21304	21335
1859	21549	21580	21608	21639	21669	21700
1860	21914	21945	21974	22005	22035	22066
1861	22280	22311	22339	22370	22400	22431
1862	22645	22676	22704	22735	22765	22796
1863	23010	23041	23069	23100	23130	23161
1864	23375	23406	23435	23466	23496	23527
1865	23741	23772	23800	23831	23861	23892
1866	24106	24137	24165	24196	24226	24257
1867	24471	24502	24530	24561	24591	24622
1868	24836	24867	24896	24927	24957	24988
1869	25202	25233	25261	25292	25322	25353
1870	25567	25598	25626	25657	25687	25718
1871	25932	25963	25991	26022	26052	26083
1872	26297	26328	26357	26388	26418	26449
1873	26663	26694	26722	26753	26783	26814
1874	27028	27059	27087	27118	27148	27179
1875	27393	27424	27452	27483	27513	27544
1876	27758	27789	27818	27849	27879	27910
1877	28124	28155	28183	28214	28244	28275
1878	28489	28520	28548	28579	28609	28640
1879	28854	28885	28913	28944	28974	29005
1880	29219	29250	29279	29310	29340	29371
1881	29585	29616	29644	29675	29705	29736
1882	29950	29981	30009	30040	30070	30101
1883	30315	30346	30374	30405	30435	30466

Year	*Jul*	*Aug*	*Sep*	*Oct*	*Nov*	*Dec*
1884	30862	30893	30924	30954	30985	31015
1885	31227	31258	31289	31319	31350	31380
1886	31592	31623	31654	31684	31715	31745
1887	31957	31988	32019	32049	32080	32110
1888	32323	32354	32385	32415	32446	32476
1889	32688	32719	32750	32780	32811	32841
1890	33053	33084	33115	33145	33176	33206
1891	33418	33449	33480	33510	33541	33571
1892	33784	33815	33846	33876	33907	33937
1893	34149	34180	34211	34241	34272	34302
1894	34514	34545	34576	34606	34637	34667
1895	34879	34910	34941	34971	35002	35032
1896	35245	35276	35307	35337	35368	35398
1897	35610	35641	35672	35702	35733	35763
1898	35975	36006	36037	36067	36098	36128
1899	36340	36371	36402	36432	36463	36493
1900	36705	36736	36767	36797	36828	36858
1901	37070	37101	37132	37162	37193	37223
1902	37435	37466	37497	37527	37558	37588
1903	37800	37831	37862	37892	37923	37953
1904	38166	38197	38228	38258	38289	38319
1905	38531	38562	38593	38623	38654	38684
1906	38896	38927	38958	38988	39019	39049
1907	39261	39292	39323	39353	39384	39414
1908	39627	39658	39689	39719	39750	39780
1909	39992	40023	40054	40084	40115	40145
1910	40357	40388	40419	40449	40480	40510
1911	40722	40753	40784	40814	40845	40875
1912	41088	41119	41150	41180	41211	41241

Year	*Jan*	*Feb*	*Mar*	*Apr*	*May*	*Jun*
1884	30680	30711	30740	30771	30801	30832
1885	31046	31077	31105	31136	31166	31197
1886	31411	31442	31470	31501	31531	31562
1887	31776	31807	31835	31866	31896	31927
1888	32141	32172	32201	32232	32262	32293
1889	32507	32538	32566	32597	32627	32658
1890	32872	32903	32931	32962	32992	33023
1891	33237	33268	33296	33327	33357	33388
1892	33602	33633	33662	33693	33723	33754
1893	33968	33999	34027	34058	34088	34119
1894	34333	34364	34392	34423	34453	34484
1895	34698	34729	34757	34788	34818	34849
1896	35063	35094	35123	35154	35184	35215
1897	35429	35460	35488	35519	35549	35580
1898	35794	35825	35853	35884	35914	35945
1899	36159	36190	36218	36249	36279	36310
1900	36524	36555	36583	36614	36644	36675
1901	36889	36920	36948	36979	37009	37040
1902	37254	37285	37313	37344	37374	37405
1903	37619	37650	37678	37709	37739	37770
1904	37984	38015	38044	38075	38105	38136
1905	38350	38381	38409	38440	38470	38501
1906	38715	38746	38774	38805	38835	38866
1907	39080	39111	39139	39170	39200	39231
1908	39445	39476	39505	39536	39566	39597
1909	39811	39842	39870	39901	39931	39962
1910	40176	40207	40235	40266	40296	40327
1911	40541	40572	40600	40631	40661	40692
1912	40906	40937	40966	40997	41027	41058

Year	*Jul*	*Aug*	*Sep*	*Oct*	*Nov*	*Dec*
1913	41453	41484	41515	41545	41576	41606
1914	41818	41849	41880	41910	41941	41971
1915	42183	42214	42245	42275	42306	42336
1916	42549	42580	42611	42641	42672	42702
1917	42914	42945	42976	43006	43037	43067
1918	43279	43310	43341	43371	43402	43432
1919	43644	43675	43706	43736	43767	43797
1920	44010	44041	44072	44102	44133	44163
1921	44375	44406	44437	44467	44498	44528
1922	44740	44771	44802	44832	44863	44893
1923	45105	45136	45167	45197	45228	45258
1924	45471	45502	45533	45563	45594	45624
1925	45836	45867	45898	45928	45959	45989
1926	46201	46232	46263	46293	46324	46354
1927	46566	46597	46628	46658	46689	46719
1928	46932	46963	46994	47024	47055	47085
1929	47297	47328	47359	47389	47420	47450
1930	47662	47693	47724	47754	47785	47815
1931	48027	48058	48089	48119	48150	48180
1932	48393	48424	48455	48485	48516	48546
1933	48758	48789	48820	48850	48881	48911
1934	49123	49154	49185	49215	49246	49276
1935	49488	49519	49550	49580	49611	49641
1936	49854	49885	49916	49946	49977	50007
1937	50219	50250	50281	50311	50342	50372
1938	50584	50615	50646	50676	50707	50737
1939	50949	50980	51011	51041	51072	51102
1940	51315	51346	51377	51407	51438	51468
1941	51680	51711	51742	51772	51803	51833
1942	52045	52076	52107	52137	52168	52198

Year	*Jan*	*Feb*	*Mar*	*Apr*	*May*	*Jun*
1913	41272	41303	41331	41362	41392	41423
1914	41637	41668	41696	41727	41757	41788
1915	42002	42033	42061	42092	42122	42153
1916	42367	42398	42427	42458	42488	42519
1917	42733	42764	42792	42823	42853	42884
1918	43098	43129	43157	43188	43218	43249
1919	43463	43494	43522	43553	43583	43614
1920	43828	43859	43888	43919	43949	43980
1921	44194	44225	44253	44284	44314	44345
1922	44559	44590	44618	44649	44679	44710
1923	44924	44955	44983	45014	45044	45075
1924	45289	45320	45349	45380	45410	45441
1925	45655	45686	45714	45745	45775	45806
1926	46020	46051	46079	46110	46140	46171
1927	46385	46416	46444	46475	46505	46536
1928	46750	46781	46810	46841	46871	46902
1929	47116	47147	47175	47206	47236	47267
1930	47481	47512	47540	47571	47601	47632
1931	47846	47877	47905	47936	47966	47997
1932	48211	48242	48271	48302	48332	48363
1933	48577	48608	48636	48667	48697	48728
1934	48942	48973	49001	49032	49062	49093
1935	49307	49338	49366	49397	49427	49458
1936	49672	49703	49732	49763	49793	49824
1937	50038	50069	50097	50128	50158	50189
1938	50403	50434	50462	50493	50523	50554
1939	50768	50799	50827	50858	50888	50919
1940	51133	51164	51193	51224	51254	51285
1941	51499	51530	51558	51589	51619	51650
1942	51864	51895	51923	51954	51984	52015

Year	*Jul*	*Aug*	*Sep*	*Oct*	*Nov*	*Dec*
1943	52410	52441	52472	52502	52533	52563
1944	52776	52807	52838	52868	52899	52929
1945	53141	53172	53203	53233	53264	53294
1946	53506	53537	53568	53598	53629	53659
1947	53871	53902	53933	53963	53994	54024
1948	54237	54268	54299	54329	54360	54390
1949	54602	54633	54664	54694	54725	54755
1950	54967	54998	55029	55059	55090	55120
1951	55332	55363	55394	55424	55455	55485
1952	55698	55729	55760	55790	55821	55851
1953	56063	56094	56125	56155	56186	56216
1954	56428	56459	56490	56520	56551	56581
1955	56793	56824	56855	56885	56916	56946
1956	57159	57190	57221	57251	57282	57312
1957	57524	57555	57586	57616	57647	57677
1958	57889	57920	57951	57981	58012	58042
1959	58254	58285	58316	58346	58377	58407
1960	58620	58651	58682	58712	58743	58773
1961	58985	59016	59047	59077	59108	59138
1962	59350	59381	59412	59442	59473	59503
1963	59715	59746	59777	59807	59838	59868
1964	60081	60112	60143	60173	60204	60234
1965	60446	60477	60508	60538	60569	60599
1966	60811	60842	60873	60903	60934	60964
1967	61176	61207	61238	61268	61299	61329
1968	61542	61573	61604	61634	61665	61695
1969	61907	61938	61969	61999	62030	62060
1970	62272	62303	62334	62364	62395	62425

Year	*Jan*	*Feb*	*Mar*	*Apr*	*May*	*Jun*
1943	52229	52260	52288	52319	52349	52380
1944	52594	52625	52654	52685	52715	52746
1945	52960	52991	53019	53050	53080	53111
1946	53325	53356	53384	53415	53445	53476
1947	53690	53721	53749	53780	53810	53841
1948	54055	54086	54115	54146	54176	54207
1949	54421	54452	54480	54511	54541	54572
1950	54786	54817	54845	54876	54906	54937
1951	55151	55182	55210	55241	55271	55302
1952	55516	55547	55576	55607	55637	55668
1953	55882	55913	55941	55972	56002	56033
1954	56247	56278	56306	56337	56367	56398
1955	56612	56643	56671	56702	56732	56763
1956	56977	57008	57037	57068	57098	57129
1957	57343	57374	57402	57433	57463	57494
1958	57708	57739	57767	57798	57828	57859
1959	58073	58104	58132	58163	58193	58224
1960	58438	58469	58498	58529	58559	58590
1961	58804	58835	58863	58894	58924	58955
1962	59169	59200	59228	59259	59289	59320
1963	59534	59565	59593	59624	59654	59685
1964	59899	59930	59959	59990	60020	60051
1965	60265	60296	60324	60355	60385	60416
1966	60630	60661	60689	60720	60750	60781
1967	60995	61026	61054	61085	61115	61146
1968	61360	61391	61420	61451	61481	61512
1969	61726	61757	61785	61816	61846	61877
1970	62091	62122	62150	62181	62211	62242

Year	*Jul*	*Aug*	*Sep*	*Oct*	*Nov*	*Dec*
1971	62637	62668	62699	62729	62760	62790
1972	63003	63034	63065	63095	63126	63156
1973	63368	63399	63430	63460	63491	63521
1974	63733	63764	63795	63825	63856	63886
1975	64098	64129	64160	64190	64221	64251
1976	64464	64495	64526	64556	64587	64617
1977	64829	64860	64891	64921	64952	64982
1978	65194	65225	65256	65286	65317	65347
1979	65559	65590	65621	65651	65682	65712
1980	65925	65956	65987	66017	66048	66078
1981	66290	66321	66352	66382	66413	66443
1982	66655	66686	66717	66747	66778	66808
1983	67020	67051	67082	67112	67143	67173
1984	67386	67417	67448	67478	67509	67539
1985	67751	67782	67813	67843	67874	67904
1986	68116	68147	68178	68208	68239	68269
1987	68481	68512	68543	68573	68604	68634
1988	68847	68878	68909	68939	68970	69000
1989	69212	69243	69274	69304	69335	69365
1990	69577	69608	69639	69669	69700	69730
1991	69942	69973	70004	70034	70065	70095
1992	70308	70339	70370	70400	70431	70461
1993	70673	70704	70735	70765	70796	70826
1994	71038	71069	71100	71130	71161	71191
1995	71403	71434	71465	71495	71526	71556
1996	71769	71800	71831	71861	71892	71922
1997	72134	72165	72196	72226	72257	72287
1998	72499	72530	72561	72591	72622	72652
1999	72864	72895	72926	72956	72987	73017

Year	*Jan*	*Feb*	*Mar*	*Apr*	*May*	*Jun*
1971	62456	62487	62515	62546	62576	62607
1972	62821	62852	62881	62912	62942	62973
1973	63187	63218	63246	63277	63307	63338
1974	63552	63583	63611	63642	63672	63703
1975	63917	63948	63976	64007	64037	64068
1976	64282	64313	64342	64373	64403	64434
1977	64648	64679	64707	64738	64768	64799
1978	65013	65044	65072	65103	65133	65164
1979	65378	65409	65437	65468	65498	65529
1980	65743	65774	65803	65834	65864	65895
1981	66109	66140	66168	66199	66229	66260
1982	66474	66505	66533	66564	66594	66625
1983	66839	66870	66898	66929	66959	66990
1984	67204	67235	67264	67295	67325	67356
1985	67570	67601	67629	67660	67690	67721
1986	67935	67966	67994	68025	68055	68086
1987	68300	68331	68359	68390	68420	68451
1988	68665	68696	68725	68756	68786	68817
1989	69031	69062	69090	69121	69151	69182
1990	69396	69427	69455	69486	69516	69547
1991	69761	69792	69820	69851	69881	69912
1992	70126	70157	70186	70217	70247	70278
1993	70492	70523	70551	70582	70612	70643
1994	70857	70888	70916	70947	70977	71008
1995	71222	71253	71281	71312	71342	71373
1996	71587	71618	71647	71678	71708	71739
1997	71953	71984	72012	72043	72073	72104
1998	72318	72349	72377	72408	72438	72469
1999	72683	72714	72742	72773	72803	72834

INDEX

Ascendent-Lunar 31, 35, 43
Ascendant-Demi-Lunar 37
Ascensional Transits 95
Atkins, Susan 20, 22
Berlin, West 84
Carter, Jimmy 26
Charles, Prince 76
Combin, Compositum 30
Conception-Horoscope 41
Coolidge, Calvin 82
Day-Number Tables 119
Dual-Test 36, 51, 98
Ebertin, Elsbeth 70
Edison, Thomas A. 95
Edward VII 74
Edward VIII 67, 75, 82
Einstein, Albert 79
Elizabeth II 67, 76
Fagan, Cyril 13
Fictions in Astrology 92
Fixed Stars 69, 109, 113, 115
Gandhi, Mahatma 81
Gaulle, General De 81
George V 67, 74
George VI 75
Hitler, Adolf 3, 88
Houten van, Leslie 20, 22, 24
Kennedy, Edward 31, 35, 52, 67, 99
Kennedy, John F. 48, 67, 77
Krafft, Karl-Ernst 70
Kreuger, Ivar 70
Lennon, John 67, 73, 103

GLOSSARY

Ascendant-Lunar Horoscope: A horoscope calculated for the moment when the Moon transits the ASC of the Radix. (See under 'Conception Lunar')

Conception-Lunar Horoscope : A horoscope calculated for the moment when the Moon transits the Moon of the Conception Horoscope. (Prenatal Epoch)

Conception-Demi-Lunar Horoscope: A horoscope calculated for the moment when the Moon of the Conception Horoscope is transiting its opposite Ecliptic point. (Prenatal Epoch)

Descendant-Lunar-Horoscope: A horoscope calculated for the moment when the Moon transits the Descendant of the Radix.(See under ' Conception Lunar ')

Demi-Asc(Desc)-Lunar : A horoscope calculated for the moment when the Moon transits either the opposite Ecliptic point of the ASC = DESC (a) or DESC = ASC (b)
This depends on whether the ASC or the DESC of the Radix corresponds to the Moon of the Prenatal Epoch (Conception Horoscope).

MDO : The Meridian Distance of a body divided by its Semi Arc and multiplied by 90 degrees.
(See *Prediction II*, page 33, Genealogical Connections... and page 41, Ascensional Transits....)

Natal Quotidian-Lunar: A Lunar Return Chart based on the position of the Moon in the Secondary Progressed or Regressed Birth Map(See ' *Prediction Using Common and Prenatal Cycles*' , page 47)

New-Partner- Horoscope: A composite horoscope of two people in which the time elapsed from the birth of the elder to the birth of the younger is deducted from the birth of the elder, and the Chart is computed for the prenatal date and time thus found.

Partner-Horoscope : See under New-Partner-Horoscope

Prenatal-Transit System : Transits before birth which result from **the deduction from the Radix** of the time (in days,hours,minutes and seconds) past between the Radix and the Transit. (See '*Prediction Using Common and Prenatal Cycles* ')

Prenatal Cycles : All kinds of Cycles which are based on the same astronomical principles as the Prenatal Transits (See, Prenatal-Transit-System)

Primary Directions: Directions based on the axial rotation of the Earth as distinct from Progressions in the Zodiac due to the orbital motion of the planets.

Sidereal-Solar(or Lunar) Return: A Return Chart erected in the Tropical Zodiac but with the position of the Sun(orMoon) moved forward in the Zodiac by the amount of Precession since the date of the Radix.

Topocentric House Division : The discovery of V. Polich and Nelson Page. The Poles of the House Cusps are slightly different from those derived by the Placidian method.

Topocentric Primary Directions : The special method of Primary Directing developed by Vendel Polich and A.P. Nelson Page in Argentina during the 1960's. Features distinguishing the Topocentric from other systems of Primary Directing are the different formulas for calculating the Pole of the so-called Significator and its Ascensional Difference under that Pole. The time measure is the Mean Solar Arc in Right Ascension (the ' Naibod Arc ')= 0°59' 8.33" per year.

The writers main publications

Findings and developments in astrology

PUBLICATIONS IN SPICA. A Review of Sidereal Astrology. London
Editor: *Brigadier R.C. Firebrace* 1961-74

A new Method for progressing and regressing
the Sidereal Solar Return
January 1962

Rectification with Secondary Directions and Natal Quotidians
April 1962

CYCLIC CHARTS : THE 7-YEARS LUNAR ; The NO-LUNAR ;
THE KYNETIC SSR
July 1962 - January 1963

RECTIFICATION WITH THE SOLAR ARC IN RIGHT-ASCENSION
April 1963

A simple Method for accurate Moon and S.L.R. Computations
October 1963

The Effectiveness of Transits and Cyclic Charts
October 1965 - January 1967

Analysis and Interpretation of Stellar Effectiveness
April 1967 - January 1968

ASTROLOGICAL TECHNIQUES April 1967 - April 1969

Interpretation of combined Planetary Symbolism in Sidereal Charts. January - October 1970

Introduction to Mundane Astrology January - July 1971

BASIC RESEARCH IN ASTROLOGY October 1971 - January 1973

The Computation of Primary Directions April, July, 1973

Origin and Significance of Primary Directions October 1973

I N D E X (continued)

Manson, Charles 17, 22, 24
Marr, Alexander 13, 82, 107
MDO's 94
Midpoints 92
Mundane Astrology 84
Mussolini, Benito 80
New Partner-Horoscope 9
Nixon, Richard 78
Parent, Steven 20
Page, A.P. Nelson 13, 30
Peron, Evita 6, 29
Peron, Juan Domingo 6, 29, 54, 101
Polich, Vendel 13, 30
Prenatal Conception-Lunars 44
Prenatal Epoch (See Conception-Horoscope)
Primary Directions 39, 51, 95
Radix Comparisons 5
Reagan, Ronald 26, 67, 79
Rectification 39, 52, 93
Relationship Chart 30
Roosevelt, Franklin 82
Roosevelt, Theodore 81
Solar Arc 92
Synastry 1
Topocentric Primary Directions 39, 51, 95
Uranian System 92
Victoria, Queen 67, 73
William, Prince 77, 82, 106

Publications in *SPICA continued*

CYCLIC CHARTS of TRANSIT - and DIRECTIONAL SYSTEMS
January - October 1974

Directions, Transits, Cycles (Booklet)
Cosmobiosophic Society Wuppertal,F.R.G. 1976

Mundane Astrology (Booklet)
Cosmobiosophic Society Wuppertal,F.R.G. 1977

The ASCENDANT-LUNAR ; The PRENATAL EPOCH
MERIDIAN, F.R.G. Volume I; 3,4,5 1979

Publications in ASTROLOGIA, Buenos Aires; Editor: *Eloy R. Dumon*
1977 - 1985
Rectification ;Prenatal Transits and Cycles;
THE NEW PARTNER-HOROSCOPE; THE DUAL-TEST;Identical Twins

Publications in 'CONSIDERATIONS', U.S.A. 1984 - 1985
Editors: *Kennet Gillman and Axel Harvey*
Advanved Rectification of Birth Charts and Prenatal Epochs

Textbooks

PREDICTION using Common and Prenatal Cycles
American Federation of Astrologers 1981

PREDICTION II Directions and the Art of Rectification
American Federation of Astrologers(revised Edition 1985)

PREDICTION III
Synastry; ASC-Lunar; Prenatal Epoch; Dual-Test; Fixed Stars
As in this book

EL SISTEMA UNIVERSAL DE TRANSITOS, Análisis y Predicción
Editiones Sirio, Buenos Aires 1984

Tables

CAMPANUS Tables of Houses 46º - 49º N. LAT. Dublin 1959
" " 35º - 46º " " Carl Stahl;U.S.A. 1960
RIGHT-ASCENSION TABLES Centro Astrologico de Buenos Aires 1970